

CIW

1D0-437 Exam

CIW Perl Fundamentals

Thank you for Downloading 1D0-437 exam PDF Demo

You can Buy Latest 1D0-437 Full Version Download

https://www.certkillers.net/Exam/1D0-437

Question: 1

```
Consider the following program code @array - ( "Y", "W", "X");
@array = sort (@array);
unshift(@array, "Z");
print($array[0]);
What is the output of this code?

A. W
B. X
C. Y
D. Z
```

Answer: D

Question: 2

```
Consider the following program code $i - "15";
LOOP for(; $i < 25; $i++) {
  if ($i % 2) {
   next LOOP;
  }
  print("$i ");
  }
  What is the result of executing this program code?

A. The code will output the following
  15 2 4 6 8 10 12 14 16 18 20 22 24
  B. The code will output the following
  15 17 19 21 23 25
  C. The code will fail at line 2 because $i is not initialized.
```

D. The code will output the following

Answer: D

Question: 3

16 18 20 22 24

Which of the following choices demonstrates the correct syntax to pass the argument \$arg2 to the subroutine getpass?

```
A. getpass($arg2);
B. call &getpass($arg2);
C. sub &getpass($arg2);
D. callgetpass($arg2);
                                                                           Answer: A
Question: 4
Consider the following program code:
@array = ("ALPHA", "beta", "GaMmA");
@array = sort(@array);
print("@array");
What is the output of this code?
A. betaGaMmA ALPHA
B. ALPHAGaMmA beta
C. ALPHA betaGaMmA
D. beta ALPHAGaMmA
                                                                           Answer: B
Question: 5
Consider the following package definition package Convert;
Which one of the following statements should immediately follow the given package definition to
create a valid module?
A. 1;
B. use;
C. sub:
D. module Convert
                                                                           Answer: A
```

Question: 6

Consider the program code in the attached exhibit. What is the result of executing this program code?

```
$string = "BOBBY";
$string =~ s/^BO[^0][^0][^0]/ROBERT/;
$string =~ s/^\w{2,}B(.*)/G$1RUDE/;
$string =~ s/^[R|B]0(.*)/$1/;
$string =~ s/^...$/JOHN/;
print $string;
```

A. The code will output the following:

D. 2

BOBBY B. The code will output the following: GERTRUDE C. The code will output the following: JOHN D. The code will output the following: ROBERT	
- -	Answer: B
Question: 7	
Which one of the following statements will add the symbol table for a papackage's symbol table?	ackage into the including
A. include Package;	
B. require Exporter;	
C. require Package;	
D. export Package;	
(6.1)	Answer: B
Question: 8	
Consider the following code: %chars = ("a", "100", "b", "90", "c", "80"); Which one of the following choices will reverse the key/value pairing of	the code?
A. reverse(%chars);	
B. %chars =reverse(%chars);	
C. reverse(%chars) = %chars;	
D. invert(%chars);	
-	Answer: B
-	Aliswel. b
Question: 9	
Consider the following command: perl runme.pl arg1 arg2 arg3 Given this command issued on the comman@ARGV?	nd line, what is the value of
A. arg1 B. runme.pl	
C. arg1 arg2 arg3	

Answer: C	
Question: 10	
The filehandle INPUT is associated with the file represented by \$file. Which statement will close the filehandle INPUT?	j
A. close (INPUT, \$file);	
B. closeINPUT;	
C. INPUT(close, \$file);	
D. close(INPUT);	
Answer: D	

Thank You for trying 1D0-437 PDF Demo

To Buy Latest 1D0-437 Full Version Download visit link below

https://www.certkillers.net/Exam/1D0-437

Start Your 1D0-437 Preparation

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your 1D0-437 preparation with actual exam questions.