



CIW

1D0-635 Exam

CIW JavaScript Specialist

Thank you for Downloading 1D0-635 exam PDF Demo

You can Buy Latest 1D0-635 Full Version Download

<https://www.certkillers.net/Exam/1D0-635>

<https://www.certkillers.net>

Question: 1

Assuming the function `<body onload="DisplayName()">` is called, which script block will display Hello Joe in the document window after you enter the name Joe?

- A. `<script type="text/javascript">
function DisplayName(void){
var YourName = window.prompt("What is your name?","Please enter your name");
document.write("Hello " + YourName);
}
</script>`
- B. `<script type="text/javascript">
function DisplayName(){
var YourName = window.prompt("What is your name?","Please enter your name");
document.write("Hello " + YourName);
}
</script>`
- C. `<script type="text/javascript">
function DisplayName(void){
var YourName = document.prompt("What is your name?","Please enter your name");
document.write("Hello " + YourName);
}
</script>`
- D. `<script type="text/javascript">
function DisplayName(){
var YourName = document.prompt("What is your name?","Please enter your name");
document.write("Hello " + yourname);
}
</script>`

Answer: B

Question: 2

Consider the following code fragment, which sets up the retrieval of an XML document named fish.xml and calls a function named showFish(): `var xmlhttp = new XMLHttpRequest(); xmlhttp.open("GET", "fish.xml", true); xmlhttp.onreadystatechange = showFish(); xmlhttp.send();` Which line of code initializes the XMLHttpRequest object?

- A. `xmlhttp.send();`
B. `var xmlhttp = new XMLHttpRequest();`
C. `xmlhttp.open("GET", "fish.xml", true);`
D. `xmlhttp.onreadystatechange = showFish();`

Answer: C

Question: 3

Which of the following demonstrate the correct syntax for the switch statement?

```
A. var myName= "Paul"
switch (myName){
case "Peter"
document.write("My name is Peter.<br />")
break
case "Paul"
document.write("My name is Paul.<br />")
break: (default);
document.write("I do not have a name.<br />")
}

B. var myName= "Paul"
switch (myName){
case "Peter"
document.write("My name is Peter.<br />")
break
case "Paul"
document.write("My name is Paul.<br />")
break: (default);
document.write("I do not have a name.<br />")
}

C. var myName= "Paul"
switch (myName){
case (Peter)
document.write("My name is Peter.<br />")
break
case (Paul)
document.write("My name is Paul.<br />")
break;
case: (default);
document.write("I do not have a name.<br />")
}

D. var myName= "Paul"
switch (myName){
case (Peter)
document.write("My name is Peter.<br />")
break
case (Paul)
document.write("My name is Paul.<br />")
break;
case: (default);
document.write("I do not have a name.<br />")
}
```

Answer: A

Question: 4

Consider the following code: `<script type="text/javascript"> var v1 = "alpha"; function f () { var v2 = "bravo"; alert (v1 + " , " + v2); } f(); v1="charlie"; alert (v1 + " , " + v2); </script>` What is the expected result when you run this script in the browser?

- A. An alert box displaying charlie, bravo
- B. An alert box displaying alpha, bravo followed by an error
- C. Two alert boxes displaying alpha, bravo and alpha, bravo respectively
- D. Two alert boxes displaying alpha, bravo and charlie, bravo respectively, followed by an error

Answer: B

Question: 5

Which of the following is a valid variable name in JavaScript?

- A. this
- B. that
- C. 2that
- D. 2this

Answer: B

Thank You for trying 1D0-635 PDF Demo

To Buy Latest 1D0-635 Full Version Download visit link below

<https://www.certkillers.net/Exam/1D0-635>

Start Your 1D0-635 Preparation

[Limited Time Offer] Use Coupon “CKNET” for Further 10% discount on your purchase. Test your 1D0-635 preparation with actual exam questions.

<https://www.certkillers.net>