



# Oracle

## 1Z0-072 Exam

### Oracle Database 12cR2 Administration Exam

Thank you for Downloading 1Z0-072 exam PDF Demo

You can Buy Latest 1Z0-072 Full Version Download

<https://www.certkillers.net/Exam/1Z0-072>

<https://www.certkillers.net>

# Version: 10.0

---

## Question: 1

---

The ORCL database has DEFERRED\_SEGMENT\_CREATION set to TRUE.  
UNDOTBS2 is the active undo tablespace.

Examine these commands:

```
SQL> SELECT tablespace_name, status, retention
       FROM dba_tablespaces
       WHERE tablespace_name LIKE 'UNDO%';
```

TABLESPACE_NAME	STATUS	RETENTION
UNDOTBS1	ONLINE	NOGUARANTEE
UNDOTBS2	ONLINE	GUARANTEE

```
SQL> SELECT tablespace_name, autoextensible, bytes/1024/1024 "SIZE"
       FROM dba_data_files WHERE tablespace_name LIKE 'UNDO%';
```

TABLESPACE_NAME	AUTOEXTENSIBLE	SIZE
UNDOTB1	YES	70
UNDOTBS2	NO	2

USER1 executes DML, which generates more than 2 MB of UNDO.  
What is the result and why?

- A. It suspends the transaction, which can be resumed by increasing the size of UNDOTBS2.
- B. It returns an error because UNDOTBS2 is fixed size and has RETENTION GUARANTEE.
- C. It suspends the transaction, which can be resumed by increasing USER1's quota on UNDOTBS2.
- D. It returns an error because UNDOTBS2 has RETENTION GUARANTEE.
- E. It suspends the transaction, which can be resumed by setting UNDOTBS1 as the active undo tablespace.
- F. It returns an error because UNDOTBS2 is fixed size.

---

**Answer: F**

---



---

## Question: 2

---

Which three failures require intervention for recovery? (Choose three.)

- A. a user error such as dropping the wrong table
- B. network interface card (NIC) failure

- C. user process failure
- D. statement failure
- E. media failure

---

**Answer: A,C,E**

---

---

**Question: 3**

---

Which three are true about Oracle Managed Files (OMF)? (Choose three.)

- A. If DB\_CREATE\_FILE\_DEST is specified but DB\_CREATE\_ONLINE\_LOG\_DEST\_n is not, the redo logs and control files are placed in DB\_CREATE\_FILE\_DEST by default.
- B. If DB\_RECOVERY\_FILE\_DEST is specified, at least two different locations must be specified for DB\_CREATE\_ONLINE\_LOG\_DEST\_n.
- C. If only DB\_CREATE\_FILE\_DEST is specified, only the data files and temp files are OMF.
- D. If DB\_RECOVERY\_FILE\_DEST is specified but DB\_CREATE\_ONLINE\_LOG\_DEST\_n is not, the redo logs and control files are placed in DB\_RECOVERY\_FILE\_DEST by default.
- E. If DB\_CREATE\_ONLINE\_LOG\_DEST\_1 is specified but DB\_CREATE\_FILE\_DEST is not, the data files and temp files are placed in DB\_CREATE\_ONLINE\_LOG\_DEST\_1 by default.
- F. If only DB\_CREATE\_ONLINE\_LOG\_DEST\_n is specified, only the redo logs and control files are OMF.

---

**Answer: A,B,F**

---

---

**Question: 4**

---

Your client application and Oracle database are located on different hosts. Which statement is true about establishing a connection between them?

- A. Oracle Connection Manager must be installed on the client.
- B. Net service names must be configured on both the client and database servers.
- C. The Listener Control utility must be installed on the client if you are using the default listener on the server.
- D. Only Oracle Net can be used.
- E. Oracle Net Listener is required.

---

**Answer: D**

---

---

**Question: 5**

---

In the ORCL database, USER1 has unlimited quota on TBS1 and TBS2.  
The USER1.EMP table with primary key EMP\_ENO\_PK resides in TBS1.  
USER1.EMP\_IDX residing in TBS2 is an index on U1.EMP.ENAME.  
TBS1 is exported from ORCL by using this command:  
[oracle@host01 ~]\$ expdp system/oracle tablespace=tbs1 directory=exp\_dir dumpfile=tbs1.dmp  
The TESTDB database has a TBS1 tablespace but no TBS2.  
The SYSTEM user in TESTDB executes this command:

[oracle@host01 ~]\$ impdp system/oracle directory=exp\_dir dumpfile=u1.dmp tablespace=tbs1  
What is the result and why?

- A. It imports EMP, EMP\_ENO\_PK, and the unique index associated with EMP\_ENO\_PK and EMP\_IDX.
- B. It imports only EMP, EMP\_ENO\_PK, and the unique index associated with EMP\_ENO\_PK.
- C. It fails because TESTDB has TBS1.
- D. It imports only EMP.
- E. It fails because TESTDB does not have TBS2 to create EMP\_IDX.

---

**Answer: B**

---

CertKillers.net

## Thank You for trying 1Z0-072 PDF Demo

To Buy Latest 1Z0-072 Full Version Download visit link below

<https://www.certkillers.net/Exam/1Z0-072>

## Start Your 1Z0-072 Preparation

**[Limited Time Offer]** Use Coupon “CKNET” for Further discount on your purchase. Test your 1Z0-072 preparation with actual exam questions.

<https://www.certkillers.net>