



Oracle

1Z0-074 Exam

Upgrade Oracle DBA 11g or 12c to 12c R2 Exam

Thank you for Downloading 1Z0-074 exam PDF Demo

You can Buy Latest 1Z0-074 Full Version Download

<https://www.certkillers.net/Exam/1Z0-074>

<https://www.certkillers.net>

Version: 8.0

Question: 1

Your CDB has a PDB, EMP_PDB.

You successfully execute these commands as the SYSTEM USER in CDB\$ROOT:

```
CREATE USER c##usr1 IDENTIFIED BY new_pwd123 CONTAINER=ALL;
GRANT CREATE SESSION TO c##usr1;
CREATE ROLE c##admin CONTAINER=ALL;
GRANT SELECT ANY TABLE TO c##admin;
GRANT c##admin TO c##usr1;
```

Which two statements are true about C##USR1? (Choose two.)

- A. It can connect to EMP_PDB and view the data only in tables created by common users.
- B. It can connect to EMP_PDB but cannot view the data in any table in it.
- C. It can connect only to the root.
- D. It is a common user.
- E. It is a local user.

Answer: AE

Question: 2

Which two statements are true about application containers? (Choose two.)

- A. A regular PDB can be plugged in to an application container provided it is an Oracle Database 12c Release 2 (12.2) PDB.
- B. An application root can be unplugged from a CDB and plugged in to another CDB.
- C. An application PDB can belong to multiple application containers.
- D. User-created common objects are accessible from the CDB root.
- E. The application root stores user-created common objects and Oracle-supplied common objects.
- F. Multiple application roots can be created in one container database.

Answer: DE

Reference:

<https://blogs.oracle.com/oraclemagazine/multitenant-database-management>

Question: 3

While performing a cross-platform PDB transport in an Oracle Database 12c Release 2 database, by using XTTS from a Linux (x86-64) server to a Solaris (x86-64) server, this command is executed to back up the files in a compatible format:

```
RMAN> BACKUP TO PLATFORM 'Solaris[tm] OE (64-bit)'
        UNPLUG INTO '/tmp/pdb_orcl.xml'
        PLUGGABLE DATABASE pdb_orcl
        FORMAT '/home/oracle/backup/ORCL/transportSolaris_%U';
```

What will be the outcome?

- A. It creates the /tmp/pdb_orcl.xml file, which contains the metadata and data of the source database.
- B. The backup fails because the UNPLUG operation for cross-endian platforms is not supported.
- C. It successfully takes a backup but the UNPLUG operation of PDB_ORCL fails.
- D. It successfully completes.
- E. It creates a backupset of the source database in the /home/oracle/backup directory

Answer: E

Question: 4

From which two failure scenarios can a database be restored and recovered with the REPAIR DATABASE command? (Choose two.)

- A. loss of ARCHIVELOGS
- B. loss of a redo log member
- C. loss of a noncritical data file
- D. loss of all copies of the control file
- E. loss of a critical data file such as SYSTEM, SYSAUX or UNDO
- F. loss of SPFILE

Answer: DE

Reference:

https://docs.oracle.com/cd/B28359_01/backup.111/b28273/rcmsynta033.htm#RCMRF199

Question: 5

APP1 is an application container that has an application seed and two application PDBs, APP_PDB1 and APP_PDB2.

1.0 is the current version of the application.

You execute this block in the application root:

```
ALTER PLUGGABLE DATABASE APPLICATION appl
BEGIN UPGRADE '1.0' TO '1.5';

CREATE ROLE role1;

ALTER PLUGGABLE DATABASE APPLICATION appl
END UPGRADE TO '1.5';
```

What is the outcome?

- A. An error is thrown because the version number should be sequential, either 1.1 or 2.0.
- B. An error is thrown because the CONTAINER=ALL clause is missing.
- C. An error is thrown because the c## prefix is missing in the role name.
- D. A common role is created only in the application root.
- E. A common role is created only in the application root and application seed.
- F. A common role is created in the application root, application seed, APP_PDB1, and APP_PDB2.

Answer: D

Question: 6

Users BIXBY, RLAYTON, and MURDOK each have a table named CUST_RECORDS in their schema. BIXBY has created a procedure, UPDATE_CUST, which updates the CUST_RECORDS table with invoker's right.

BIXBY grants the execute permission on UPDATE_CUST to the RLAYTON user.

When RLAYTON executes the UPDATE_CUST procedure, which table does the procedure attempt to update?

- A. CUST_RECORDS table in Bixby's schema
- B. CUST_RECORDS table in Murdok's schema
- C. CUST_RECORDS table in Rlayton's schema
- D. CUST_RECORDS table in the schema of Bixby and Rlayton
- E. CUST_RECORDS table in the schema of Bixby, Rlayton, and Murdok

Answer: C

Question: 7

Identify two types of files that are generated by the Pre-Upgrade Information tool as part of the database

upgrade prerequisite checks? (Choose two.)

- A. expdp scripts to export database objects belonging to the SYS schema
- B. a log file containing a list of pre-upgrade patches to be applied
- C. RMAN database backup scripts
- D. a log file with tool recommendations and requirements
- E. pre- and post-upgrade fixup scripts

Answer: DE

Reference:

<https://docs.oracle.com/en/database/oracle/oracle-database/12.2/upgrd/using-preupgradeinformation-tool-for-oracle-database#GUID-C0219AF1-AD43-4097-B358-E53E48958647>

Question: 8

Which two statements are true about clean restore points in a regular PDB? (Choose two.)

- A. They require a clone instance to be created when used in a PDB flashback operation
- B. They can be created for a PDB when connected to either the PDB or to the root
- C. They require backups to be restored when used in a PDB flashback operation
- D. They are created as guaranteed restore points
- E. They can be created only if shared undo is enabled
- F. They can be created only for a PDB in the mount state

Answer: EF

Reference:

<https://docs.oracle.com/en/database/oracle/oracle-database/12.2/bradv/using-flasback-databaserestore-points>

Thank You for trying 1Z0-074 PDF Demo

To Buy Latest 1Z0-074 Full Version Download visit link below

<https://www.certkillers.net/Exam/1Z0-074>

Start Your 1Z0-074 Preparation

[Limited Time Offer] Use Coupon “CKNET” for Further discount on your purchase. Test your 1Z0-074 preparation with actual exam questions.

<https://www.certkillers.net>