Oracle

1Z0-1127-24 Exam

Oracle Cloud Infrastructure 2024 Generative AI Professional



Thank you for Downloading 120-1127-24 exam PDF Demo

You can buy Latest 1Z0-1127-24 Full Version Download

https://www.certkillers.net/Exam/1Z0-1127-24

Version: 4.0

| Question: 1 | |
|--|----------|
| | |
| In LangChain, which retriever search type is used to balance between relevancy and diversity | ? |
| | |
| A. top k | |
| B. mmr | |
| C. similarity_score_threshold | |
| D. similarity | |
| | |
| Answer: I |) |
| | |
| Question: 2 | |
| | |
| What does a dedicated RDMA cluster network do during model fine-tuning and inference? | |
| | |
| A. It leads to higher latency in model inference. | |
| B. It enables the deployment of multiple fine-tuned models. | |
| C. It limits the number of fine-tuned model deployable on the same GPU cluster. | |
| D. It increases G PU memory requirements for model deployment. | |
| | |
| Answer: I | 3 |
| | |
| Question: 3 | |

| Which role docs a | "model end point" | serve in the | inference | workflow | of the OCI | Generative Al |
|-------------------|-------------------|--------------|-----------|----------|------------|---------------|
| service? | | | | | | |

- A. Hosts the training data for fine-tuning custom model
- B. Evaluates the performance metrics of the custom model
- C. Serves as a designated point for user requests and model responses
- D. Updates the weights of the base model during the fine-tuning process

Answer: A

Question: 4

Which is a distinguishing feature of "Parameter-Efficient Fine-tuning (PEFT)" as opposed to classic Tine-tuning" in Large Language Model training?

- A. PEFT involves only a few or new parameters and uses labeled, task-specific data.
- B. PEFT modifies all parameters and uses unlabeled, task-agnostic data.
- C. PEFT does not modify any parameters but uses soft prompting with unlabeled data. PEFT modifies
- D. PEFT parameters and b typically used when no training data exists.

Answer: A

Question: 5

How does the Retrieval-Augmented Generation (RAG) Token technique differ from RAG Sequence when generating a model's response?

A. Unlike RAG Sequence, RAG Token generates the entire response at once without considering individual parts.

- B. RAG Token does not use document retrieval but generates responses based on pre-existing knowledge only.
- C. RAG Token retrieves documents oar/at the beginning of the response generation and uses those for the entire content
- D. RAG Token retrieves relevant documents for each part of the response and constructs the answer incrementally.

Answer: C

Thank You for trying 1Z0-1127-24 PDF Demo

To try our 1Z0-1127-24 Full Version Download visit link below

https://www.certkillers.net/Exam/1Z0-1127-24

Start Your 1Z0-1127-24 Preparation

Use Coupon "CKNET" for Further discount on the purchase of Full Version Download. Test your 1Z0-1127-24 preparation with actual exam questions.