



Oracle

1Z0-593 Exam

Oracle Real Application Clusters 11g Essentials

Thank you for Downloading 1Z0-593 exam PDF Demo

You can Buy Latest 1Z0-593 Full Version Download

<https://www.certkillers.net/Exam/1Z0-593>

<https://www.certkillers.net>

Question: 1

Once OUI recognizes a set of nodes in a cluster, which three choices does it offer when installing the Oracle Database 11g Release 2 software?

- A. You can only install the Oracle Database with the RAC option on selected nodes.
- B. OUI forces you to configure ASM for shared storage before proceeding.
- C. You can install the Oracle Database as a single instance or with the RAC option on all the nodes.
- D. You can install the Oracle Database as a single instance or with the RAC option on selected nodes.
- E. You can install Oracle RAC One Node.

Answer: BD E

Explanation:

B, D: Complete the prerequisite tasks for converting to an Oracle RAC database: Oracle Clusterware and Oracle Database software is installed on all target nodes. Oracle Clusterware is started.

(D) The Oracle Database binary is enabled for Oracle RAC on all target nodes.

(B) Shared storage is configured and accessible from all nodes.

User equivalency is configured for the operating system user performing the conversion.

Enterprise Manager agents are configured and running on all nodes, and are configured with the cluster and host information.

The database being converted has been backed up successfully.

E: Installing Oracle RAC One Node is available starting with Oracle Database 11g Release 2 (11.2.0.2).

Note:

* By default, the standard Oracle Database 11g software installation process installs the Oracle RAC option when OUI recognizes that you are performing the installation on a cluster.

Question: 2

In the following line, which is the result of a "crsctl query css votedisk" command (which is missing the column headers in the output) – what does the [DATA] indicate?

1. ONLINE 62a46a99b0434f8abf16f338c85203160 (/dev/xvdc1) [DATA]

- A. It Indicates that the Voting Disk contains Oracle Cluster ware data
- B. It Indicates that the Voting Disk is managed in the ASM diskgroup "DATA"
- C. It Indicates that the Voting Disk "DATA" is online on disk /dev/xvdc1
- D. It indicates that the ASM diskgroup "DATA" stores only the Voting Disk

Answer: B

Explanation:

See example below.

Note:

* Use the crsctl query css votedisk command to display the voting disks used by Cluster

Synchronization Services, the status of the voting disks, and the location of the disks, whether they are stored on Oracle ASM or elsewhere.

* Example:

The crsctl query css votedisk command returns output similar to the following:

```
$ crsctl query css votedisk
```

```
## STATE   File Universal Id               File Name                      Disk group
```

```
--  -
```

```
1. ONLINE  296641fd201f4f3fbf3452156d3b5881 (/ocfs2/host09_vd3) []
```

```
2. ONLINE  8c4a552bdd9a4fd9bf93e444223146f2 (/netapp/ocrvf/newvd) []
```

```
3. ONLINE  8afeee6ae3ed4fe6bfbb556996ca4da5 (/ocfs2/host09_vd1) []
```

Located 3 voting disk(s).

Reference: Oracle Clusterware Administration and Deployment Guide , CRSCTL Utility Reference

Question: 3

Which three items can be stored on the ACFS (Oracle ASM Cluster File System)?

- A. Oracle Database Homes (shared home approach)
- B. Any type of application-related configuration or log files
- C. The Oracle Grid Infrastructure Home
- D. Oracle Backup Sets (RMAN backup sets)

Answer: A, B, D

Explanation:

Oracle ASM Cluster File System (ACFS) is a general purpose cluster file system implemented as part of ASM. It can be used to store almost anything, including the database executables. The only things that should not be stored in ACFS are the Grid Infrastructure home and any Oracle files that can be directly stored in Oracle ASM.

Reference: Oracle ASM Cluster File Systems (ACFS) in Oracle Database 11g Release 2

Question: 4

When installing the Oracle Database with OUI, when are configuration scripts executed?

- A. Before installation begins
- B. After prerequisites check finished
- C. After the software has been installed
- D. Automatically throughout the installation process

Answer: C

Explanation:

If prompted, execute the root.sh script as the root user to complete the installation, and click OK.

Note:

* Oracle Universal Installer (OUI)

Reference: Oracle Database Client Installation Guide

Question: 5

You want to stop a CRSCTL command that is active. How should you do this?

- A. With the abort command
- B. With CTRL-C
- C. With CTRL-X
- D. With CTRL-A
- E. With CTRL-ALT-DEL

Answer: B

Explanation:

Stopping Active SRVCTL Commands

Although you may be able to cancel running SRVCTL commands by pressing the Control-C keys, you may corrupt your configuration data by doing this.

You are strongly advised not to attempt to terminate SRVCTL in this manner.

Question: 6

You want to install Grid Infrastructure for a cluster and the Oracle Database software (with the RAC option). Do you need SSH user equivalency?

- A. Yes, to ensure security during the installation.
- B. Yes, to set up administrative privileges for the DBA.
- C. Yes, to allow the use of SSH and SCP without being prompted for a pass phrase.
- D. No, you don't need SSH user equivalency.

Answer: C

Explanation:

During the installation of Oracle RAC, OUI needs to copy files to and execute programs on the other nodes in the cluster. In order to allow OUI to do that, you must configure SSH to allow user equivalence. Establishing user equivalence with SSH provides a secure means of copying files and executing programs on other nodes in the cluster without requiring password prompts.

Question: 7

Which two statements about the SRVCTL utility are correct?

- A. SRVCTL must be run from the RAC database ORACLE_HOME/bin directory when used to manage that database.
- B. The SRVCTL command cannot be used to manage Oracle Grid Infrastructure.
- C. Every command requires an object on which to operate.
- D. A comma-delimited list should be enclosed in single quotes.

Answer: A, C

Explanation:

A: Always use SRVCTL from the Oracle_home of the database that you are administering.

C: SRVCTL expects the following command syntax:

srvctl command object options

Incorrect:

Not B: Guidelines for Using SRVCTL in Oracle Real Application Clusters

Not D: On the Windows platform, when specifying a comma-delimited list, you must enclose the list within double-quotes ("...").

Question: 8

How do you enable automatic backup of the OCR?

- A. With the ocrconfig autobackup command
- B. With the ocrconfig -backup command
- C. With the ocrconfig -backuploc command
- D. You don't have to enable this, Oracle Clusterware does it automatically

Answer: D

Explanation:

Automatic backup of OCR is done by CRSD process and every 3 hours.

Thank You for trying 1Z0-593 PDF Demo

To Buy Latest 1Z0-593 Full Version Download visit link below

<https://www.certkillers.net/Exam/1Z0-593>

Start Your 1Z0-593 Preparation

[Limited Time Offer] Use Coupon “CKNET” for Further discount on your purchase. Test your 1Z0-593 preparation with actual exam questions.

<https://www.certkillers.net>