

## Oracle

## 1Z0-803 Exam

Java SE 7 Programmer I

Thank you for Downloading 1Z0-803 exam PDF Demo

## You can Buy Latest 1Z0-803 Full Version Download

https://www.certkillers.net/Exam/1Z0-803

#### Question: 1

Given the code fragment: int [] [] array2D = {{0, 1, 2}, {3, 4, 5, 6}}; system.out.print (array2D[0].length+ ""); system.out.print(array2D[1].getClass(). isArray() + ""); system.out.println (array2D[0][1]); What is the result?

- A. 3false1
- B. 2true3
- C. 2false3
- D. 3true1
- E. 3false3
- F. 2true1
- G. 2false1

Answer: D

Explanation: The length of the element with index 0, {0, 1, 2}, is 3. Output: 3 The element with index 1, {3, 4, 5, 6}, is of type array. Output: true The element with index 0, {0, 1, 2} has the element with index 1: 1. Output: 1

#### **Question: 2**

```
View the exhibit:
public class Student {
  public String name = "";
  public int age = 0;
  public String major = "Undeclared";
  public boolean fulltime = true;
  public void display() {
    System.out.println("Name: " + name + " Major: " + major);
  }
public boolean isFullTime() {
  return fulltime;
}
}
Given:
Public class TestStudent {
Public static void main(String[] args) {
Student bob = new Student ();
Student jian = new Student();
bob.name = "Bob";
bob.age = 19;
```

A. Bob's Name: Bob B. Bob's Name: Jian C. Nothing prints D. Bob's name

**Answer: B** 

Explanation: After the statement jian = bob; the jian will reference the same object as bob.

#### Question: 3

Given the code fragment: String valid = "true"; if (valid) System.out.println ("valid"); else system.out.println ("not valid"); What is the result?

A. Valid

B. not valid

C. Compilation fails

D. An IllegalArgumentException is thrown at run time

Answer: C

Explanation: In segment 'if (valid)' valid must be of type boolean, but it is a string. This makes the compilation fail.

#### **Question: 4**

Given: public class ScopeTest { int z; public static void main(String[] args){ ScopeTest myScope = new ScopeTest(); int z = 6; System.out.println(z); myScope.doStuff(); System.out.println(z); System.out.println(z);

```
}
void doStuff() {
    int z = 5;
    doStuff2();
    System.out.println(z);
}
void doStuff2() {
    z=4;
}
What is the result?
A. 6 5 6 4
B. 6 5 5 4
C. 6 5 6 6
```

D.6565

Explanation: Within main z is assigned 6. z is printed. Output: 6 Within doStuff z is assigned 5.DoStuff2 locally sets z to 4 (but MyScope.z is set to 4), but in Dostuff z is still 5. z is printed. Output: 5 Again z is printed within main (with local z set to 6). Output: 6 Finally MyScope.z is printed. MyScope.z has been set to 4 within doStuff2(). Output: 4

#### Question: 5

Which two are valid instantiations and initializations of a multi dimensional array?

```
A. int [] [] array 2D = { { 0, 1, 2, 4} {5, 6}};
B. int [] [] array2D = new int [2] [2];
array2D[0] [0] = 1;
array2D[0] [1] = 2;
array2D[1] [0] = 3;
array2D[1] [1] = 4;
C. int [] [] array3D = {{0, 1}, {2, 3}, {4, 5}};
D. int [] [] array3D = new int [2] [2] [2];
array3D [0] [0] = array;
array3D [0] [1] = array;
array3D [1] [0] = array;
array3D [0] [1] = array;
E. int [] [] array2D = {0, 1};
```

Answer: B, D

Explanation:

Answer: A

In the Java programming language, a multidimensional array is simply an array whose components are themselves arrays.

#### **Question: 6**

An unchecked exception occurs in a method dosomething() Should other code be added in the dosomething() method for it to compile and execute?

- A. The Exception must be caught
- B. The Exception must be declared to be thrown.
- C. The Exception must be caught or declared to be thrown.
- D. No other code needs to be added.

Answer: C

Explanation:

Valid Java programming language code must honor the Catch or Specify Requirement. This means that code that might throw certain exceptions must be enclosed by either of the following:

\* A try statement that catches the exception. The try must provide a handler for the exception, as described in Catching and Handling Exceptions.

\* A method that specifies that it can throw the exception. The method must provide a throws clause that lists the exception, as described in Specifying the Exceptions Thrown by a Method. Code that fails to honor the Catch or Specify Requirement will not compile.

#### Question: 7

Given the code fragment:
int b = 4;
b ;
System.out.println ( b);
System.out.println(b);
What is the result?

Answer: A

Explanation: Variable b is set to 4. Variable b is decreased to 3. Variable b is decreased to 2 and then printed. Output: 2 Variable b is printed. Output: 2

**Question: 8** 

**Answer: D** 

```
Given the code fragment:
interface SampleClosable {
public void close () throws java.io.IOException;
}
Which three implementations are valid?
A. public class Test implements SampleCloseable {
Public void close () throws java.io.IOException {
//do something
}
}
B. public class Test implements SampleCloseable {
Public void close () throws Exception {
//do something
}
}
C. public class Test implementations SampleCloseable {
Public void close () throws Exception {
//do something
}
}
D. public class Test extends SampleCloseable {
Public void close () throws java.IO.IOException {
//do something
}
}
```

Explanation:

To declare a class that implements an interface, you include an implements clause in the class declaration. One interface might extended another interface, but a class cannot extend an interface. Checked exceptions are subject to the Catch or Specify Requirement. All exceptions are checked exceptions, except for those indicated by Error, RuntimeException, and their subclasses.

#### Question: 9

Given the code fragment: Int [] [] array = {{0}, {0, 1}, {0, 2, 4}, {0, 3, 6, 9}, {0, 4, 8, 12, 16}}; Systemout.println(array [4] [1]); System.out.println (array) [1][4]); int [] [] array = {{0}, {0, 1}, {0, 2, 4}, {0, 3, 6, 9}, {0, 4, 8, 12, 16}}; System.out.println(array [4][1]); System.out.println(array) [1][4]); What is the result?

A. 4 Null

B. Null 4

- C. An IllegalArgumentException is thrown at run time
- D. 4 An ArrayIndexOutOfBoundException is thrown at run time

Answer: D

Explanation:

The first println statement, System.out.println(array [4][1]);, works fine. It selects the element/array with index 4, {0, 4, 8, 12, 16}, and from this array it selects the element with index 1, 4. Output: 4 The second println statement, System.out.println(array) [1][4]);, fails. It selects the array/element with index 1, {0, 1}, and from this array it try to select the element with index 4. This causes an exception.

Output:

4

Exception in thread "main" java.lang.ArrayIndexOutOfBoundsException: 4

#### Question: 10

```
Given:
public class DoCompare1 {
  public static void main(String[] args) {
     String[] table = {"aa", "bb", "cc"};
     for (String ss: table) {
     int ii = 0;
     while (ii < table.length) {
        System.out.println(ss + ", " + ii);
        ii++;
     }
}</pre>
```

How many times is 2 printed as a part of the output?

A. Zero

}

- B. Once
- C. Twice
- D. Thrice

```
E. Compilation fails.
```

Answer: D

Explanation:

The for statement, for (String ss: table), is executed one time for each of the three elements in table. The while loop will print a 2 once for each element.

Output:

aa, 0

aa, 1

aa, 2 bb, 0

bb, 1 bb, 2 cc, 0 cc, 1

сс, 2

certhillers net

## Thank You for trying 1Z0-803 PDF Demo

To Buy Latest 1Z0-803 Full Version Download visit link below

https://www.certkillers.net/Exam/1Z0-803

# Start Your 1Z0-803 Preparation

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your 1Z0-803 preparation with actual exam questions.