



Oracle

1Z0-815 Exam

Java SE 11 Programmer I Exam

Thank you for Downloading 1Z0-815 exam PDF Demo

You can Buy Latest 1Z0-815 Full Version Download

<https://www.certkillers.net/Exam/1Z0-815>

<https://www.certkillers.net>

Version: 9.0

Question: 1

Given:

```
public class A {  
    private boolean checkValue(int val) {  
        return true;  
    }  
}
```

and

```
public class B extends A {  
    public int modifyVal(int val) {  
        if(checkValue(val)) {  
            return val;  
        } else {  
            return 0;  
        }  
    }  
    public static void Main(String[] args) {  
        B b = new B();  
        System.out.println(b.modifyVal(10));  
    }  
}
```

What is the result?

- A. nothing
- B. It fails to compile.
- C. 0
- D. A java.lang.IllegalArgumentException is thrown.
- E. 10

Answer: B

Explanation:

```
1 - public class A {
2 -     private boolean checkValue(int val) {
3 -         return true;
4 -     }
5 - }
6 - and
7 - public class B extends A {
8 -     public int modifyVal(int val) {
9 -         if(checkValue(val)) {
10 -             return val;
11 -         } else {
12 -             return 0;
13 -         }
14 -     }
15 -     public static void Main(String[] args) {
16 -         B b = new B();
17 -         system.out.println(b.modifyVal (10));
18 -     }
19 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

CommandLine Arguments

Result

CPU Time: sec(s), Memory: kilobyte(s)

```
/A.java:6: error: class, interface, or enum expected
and
^
1 error
```

Question: 2

Given:

```
public interface API { //line 1
    public void checkValue(Object value)
        throws IllegalArgumentException; //line 2
    public boolean isValueANumber(Object val) {
        if(val instanceof Number) {
            return true;
        }else {
            try {
                Double.parseDouble(val.toString());
                return true;
            }catch (NumberFormatException ex) {
                return false;
            }
        }
    }
}
```

Which two changes need to be made to make this class compile? (Choose two.)

- A. Change Line 1 to an abstract class:public abstract class API {
- B. Change Line 2 access modifier to protected:protected void checkValue(Object value)throws IllegalArgumentException;
- C. Change Line 1 to a class:public class API {
- D. Change Line 1 to extend java.lang.AutoCloseable:public interface API extends AutoCloseable {
- E. Change Line 2 to an abstract method:public abstract void checkValue(Object value)throws IllegalArgumentException;

Answer: C,E

Question: 3

Which two modules include APIs in the Java SE Specification? (Choose two.)

- A. java.logging
- B. java.desktop
- C. javafx
- D. jdk.httpserver

E. jdk.jar tool

Answer: A,D

Explanation:

Reference:

<https://docs.oracle.com/javase/9/docs/api/overview-summary>

Question: 4

Given:

```
public class Test{
    private int num = 1;
    private int div = 0;

    public void divide() {
        try {
            num = num / div;
            System.out.print("Exception");
        }
        catch(ArithmeticException ae) { num = 100; }
        catch(Exception e) { num = 200; }
        finally { num = 300; }
        System.out.print(num);
    }
    public static void main(String args[])
    {
        Test test = new Test();
        test.divide();
    }
}
```

What is the output?

- A. 300
- B. Exception
- C. 200
- D. 100

Answer: A

Explanation:

```
1 public class Test{
2     private int num = 1;
3     private int div = 0;
4
5     public void divide() {
6         try {
7             num = num / div;
8             System.out.print("Exception");
9         }
10        catch(ArithmeticException ae) { num = 100; }
11        catch(Exception e) { num = 200; }
12        finally { num = 300; }
13        System.out.print(num);
14    }
15    public static void main(String args[])
16    {
17        Test test = new Test();
18        test.divide();
19    }
20 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4



In

CommandLine Arguments

Result

CPU Time: 0.15 sec(s), Memory: 32484 kilobyte(s)

300

Question: 5

Which two statements are true about the modular JDK? (Choose two.)

- A. The foundational APIs of the Java SE Platform are found in the java.base module.
- B. An application must be structured as modules in order to run on the modular JDK.
- C. It is possible but undesirable to configure modules' exports from the command line.
- D. APIs are deprecated more aggressively because the JDK has been modularized.

Answer: A,B

Question: 6

Given the code fragment:

```
int[] secA = { 2, 4, 6, 8, 10 };
int[] secB = { 2, 4, 8, 6, 10 };
int res1 = Arrays.mismatch(secA, secB);
int res2 = Arrays.compare(secA, secB);
System.out.print(res1 + " : " + res2);
```

What is the result?

- A. -1 : 2
- B. 2 : -1
- C. 2 : 3
- D. 3 : 0

Answer: A

Question: 7

Given:

```
import java.io.*;
public class Tester {
    public static void main(String[] args) {
        try {
            doA();
            doB();
        } catch(IOException e) {
            System.out.print("c");
            return;
        } finally{
            System.out.print("d");
        }
        System.out.print("f");
    }
    private static void doA() {
        System.out.print("a");
        if (false) {
            throw new IndexOutOfBoundsException();
        }
    }
    private static void doB() throws FileNotFoundException {
        System.out.print("b");
        if (true) {
            throw new FileNotFoundException();
        }
    }
}
```

What is the result?

- A. The compilation fails.
- B. abdf
- C. abd
- D. adf
- E. abcd

Answer: A

Question: 8

Which set of commands is necessary to create and run a custom runtime image from Java source files?

- A. java, jdeps
- B. javac, jlink
- C. jar, jlink
- D. javac, jar

Answer: C

Explanation:

Reference:

<https://blogs.oracle.com/jtc/automating-the-creation-of-jdk9-reduced-runtime-images-in-netbeans>

Question: 9

Given:

```
public class Tester {
    public static void main(String[] args) {
        StringBuilder sb = new StringBuilder(5);
        sb.append("HOWDY");
        sb.insert(0, ' ');
        sb.replace(3, 5, "LL");
        sb.insert(6, "COW");
        sb.delete(2, 7);
        System.out.println(sb.length());
    }
}
```

What is the result?

- A. 4
- B. 3
- C. An exception is thrown at runtime.
- D. 5

Answer: D

Explanation:

```
6 public class Tester {
7     public static void main(String[] args) {
8         StringBuilder sb = new StringBuilder (5);
9         sb.append ("HOWDY") ;
10        sb.insert (0, ' ');
11        sb.replace(3, 5, "LL");
12        sb.insert (6, "COW");
13        sb.delete(2, 7);
14        System.out.println(sb.length());
15    }
16 }
```

(command line arguments)

COMPILE & EXECUTE

PASTE SOURCE

Successfully compiled /tmp/java_82Tlan/Tester.java <-- main method

5

Question: 10

Given:

```
import java.util.function.BiFunction;
public class Pair<T> {
    final BiFunction<T, T, Boolean> validator;
    T left = null;
    T right = null;
    private Pair() {
        validator=null;
    }
    Pair(BiFunction<T, T, Boolean> v, T x, T y) {
        validator = v;
        set(x, y);
    }
    void set(T x, T y) {
        if (!validator.apply(x, y)) throw new IllegalArgumentException();
        setLeft(x);
        setRight(y);
    }
    void setLeft(T x) {
        left = x;
    }
    void setRight(T y) {
        right = y;
    }
    final boolean isValid() {
        return validator.apply(left, right);
    }
}
```

It is required that if p instanceof Pair then p.isValid() returns true.

Which is the smallest set of visibility changes to insure this requirement is met?

- A. setLeft and setRight must be protected.
- B. left and right must be private.
- C. isValid must be public.
- D. left, right, setLeft, and setRight must be private.

Answer: B

Thank You for trying 1Z0-815 PDF Demo

To Buy Latest 1Z0-815 Full Version Download visit link below

<https://www.certkillers.net/Exam/1Z0-815>

Start Your 1Z0-815 Preparation

[Limited Time Offer] Use Coupon “CKNET” for Further discount on your purchase. Test your 1Z0-815 preparation with actual exam questions.

<https://www.certkillers.net>