

Cisco

500-007 Exam

Implementing Cisco TelePresence Video Solution, Part 1

Thank you for Downloading 500-007 exam PDF Demo

You can Buy Latest 500-007 Full Version Download

https://www.certkillers.net/Exam/500-007

Question: 1


You have configured your Cisco TelePresence Codec C90 but discover unwanted noise during use. What best practice will help avoid this problem?

- A. Connect only one device at a time to an input and avoid daisy-chaining.
- B. Recycle the power on your system after adding each additional input.
- C. If you are not using an input, turn it off.
- D. Daisy-chain additional devices using a serial cable to provide separate power supplies.

Answer: C

Question: 2

Refer to the exhibit.



Which two letters represent input connections on the Cisco TelePresence Codec C90? (Choose two.)

- A. A
- B. B
- C. C
- D. D
- E.E

Answer: A,D

Question: 3

You want to reconfigure the H.323 and SIP settings using the remote control on the Cisco TelePresence Codec C90. Which menu allows you to do this?

- A. Audio input levels
- B. IP settings
- C. Advanced configuration
- D. Protocol configuration

Answer: C

Question: 4


What do you need to do before an endpoint can place or receive H.323 calls using a URI address?

- A. Register the endpoint to the SIP server.
- B. Register the endpoints to the gatekeeper.
- C. Register the endpoint to the gateway.
- D. Register the endpoint to the Cisco TelePresence MCU.

Answer: B

Question: 5

Refer to the exhibit.



You are installing a high-definition (720p or 1080p) monitor on the Cisco TelePresence Codec C90. Which of the outputs that are represented by letters in the exhibit should you use?

- A. A or B
- B. A or D
- C. A or E
- D. B or C
- E. D or E

Answer: A,D,F

	Answer: D
Question: 6	
While on a call, using the remote control, how do you add an addition MultiSite-enabled endpoint?	al participant to a call on your
A. Press the Home button to return to the menu, and select the Add PaB. Press and hold the End Call key to bring up the dialing menu.C. Press and hold the Call key to bring up the dialing menu.D. Press the Call key, and choose or dial the number of the additional page.	·
	Answer: D
Question: 7	
Which three are true statements regarding the Cisco TelePresence e three.)	ndpoint product set? (Choose
A. The MX200 and MX300 are all-inclusive systems and do not require as B. The MX200 and MX300 are integrator codec systems and require add C. The EX60 and EX90 are room-based TelePresence systems intended to D. The C90 is a high end integrator codec. E. The EX90 is an integrator codec.	ditional AV components.

F. The C40 is a basic integrator codec supporting dual monitors.

Thank You for trying 500-007 PDF Demo

To Buy Latest 500-007 Full Version Download visit link below

https://www.certkillers.net/Exam/500-007

Start Your 500-007 Preparation

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your 500-007 preparation with actual exam questions.