

Cisco

650-156

ISPES Cisco IronPort Security(R) Professional - Email Security

Answer: A

QUESTION: 55

How would you configure the Recipient Access Table to only accept the subdomains of mydomain.com?

- A. mydomain.com
- B. @mydomain.com
- C. *.mydomain.com
- D. .mydomain.com

Answer: D

QUESTION: 56

Which one of the following menus is used to set the Max. Invalid Recipients Per Hour?

- A. HAT Sender Groups
- B. Sender Groups in the HAT
- C. Mail Flow Policies
- D. LDAP Accept Profile

Answer: C

QUESTION: 57

An enterprise has two email domains but only one is covered by their LDAP directory. Of the following, which is the best method to address this?

- A. Create a mail policy for this domain that skips LDAP Accept checks.
- B. Disable LDAP verification in the HAT
- C. Configure Bypass LDAP Accept in the RAT
- D. Remove LDAP Acceptance from the incoming listener

Answer: C

QUESTION: 58

After installing a certificate for TLS, where would you enable outbound TLS connections?

- A. Outbound Mail Policies
- B. Network> Listener Configuration-via the GUI
- C. Deliveryconfig via the CLI
- D. Destination controls

Answer: D

QUESTION: 59

Which of the following devices cannot support NIC Pairing?

- A. X1060
- B. C660
- C. C360 and C160
- D. C160

Answer: D

QUESTION: 60

What is the best way to create a support ticket?

- A. Support Request via the User Interface.
- B. Telephone
- C. Email
- D. Support Portal

Answer: A

Download Full Version From https://www.certkillers.net

















