

Cisco 650-195

SMB Solutions for Engineers (SMBEN)

QUESTION: 123

What are three attributes of the SIP protocol? (Choose three.)

- A. provides a secure communication path
- B. offers an alternative to Q.931
- C. sessions are initiated by end devices
- D. sends requests to network gateways
- E. assigns text-based device addresses
- F. works in conjunction with H.245

Answer: C, D, E

Explanation:

SIP attributes are below: Based on the logic of the world wide web Widely used with gateways and proxy server within service provider network. Peer-to-peer protocol where end devices initiate sessions ASCII test-based for easy implementation and debugging.

QUESTION: 124

Basic phone support, fee-based add-on support, and VAR tech-to-tech assistance are components of which support option?

- A. Cisco Small Business products support
- B. Cisco Smart Foundation Service
- C. CiscoSMARTnet Service
- D. Smart Care Service

Answer: A

QUESTION: 125

What is the primary purpose of SMB Smart Designs? Select exactly 1 answer(s) from the following:

- A. provides a step-by-step outline of implementation tasks required
- B. assists in locating appropriate resources
- C. provides a direct support path for any partner issue
- D. provides training on products, tools, and solutions
- E. provides validated commercial solutions

Answer: E

Explanation:

Cisco SNF smart design enables customers to: Take advantage of the technical solutions, financing, support services, and business consulting of cisco and its partners. Harness the value of their integrated secure network to achieve increased productivity, customer responsiveness, operational efficiency, and profitability

QUESTION: 126

In the Main Office Hybrid topology with high availability, what statement is true of firewall failover?

- A. One ASA chassis provides two redundant connections to the Internet.
- B. Two ASAs provide failover over a dedicated connection.
- C. An ASA and an ISR provide failover to one another.
- D. HSRP is used for failover between two firewall devices.

Answer: B

Explanation:

Two ASAs provide failover a dedicated connection in the main office hybrid topology with high availability. See the fig below.

Main Office Hybrid Topology with High Availability



QUESTION: 127

Refer to the exhibit. From this Cisco SDM Security Audit Wizard screen, what should you do to secure the router?

Exhibit:

Security Audit	Select an o	ption: Fix the Security problems	
	1000000000000000000000000000000000000	c-if" checkbox next to the settings you want to fix. Then, click "I rompted for more information to fix certain settings.	Next" to continue
1			Fix All
and the second	No	Security Problems Identified	Action
	1 PAD Servic	e is enabled	☐ Fix it
lillin-h	2 IP bootp se	erver Service is enabled	☐ Fix it
	3 CDP is en	abled	☐ Fix it
	4 IP source r	oute is enabled	☐ Fix it
	5 Password	encryption Service is disabled	☐ Fix it
	6 TCP Keep	alives for inbound telnet sessions is disabled	☐ Fix it
0	7 TCP Keep	7 TCP Keepalives for outbound telnet sessions is disabled	
	8 Sequence	8 Sequence Numbers and Time Stamps on Debugs are disabled	
	9 Minimum F	assword length is disabled or less than 6 characters	☐ Fix it
	10 Authentical	tion Failure Rate is disabled or less than 3 retries	☐ Fix it
	11 TCP Synwa	ait time is not set	☐ Fix it
	12 Banner is i	not set	☐ Fix it
	13 Logging is	not enabled	☐ Fix it
	14 Enable Se	cret Password is not set	☐ Fix it
	15 Teinet sett	ings are not enabled	☐ Fix it
r r	and the second s	vitching is not enabled	☐ Fix it
Contraction of the local division of the loc			

A. Click Fix All, then clear CDP check box, then Next, then manually disable CDP on the WAN interface, then immediately reboot the router.

B. Click Next.

C. Click Fix All, then clear CDP check box, then Next.

D. Click Fix All, then clear CDP check box, then Next, then immediately reboot the router.

E. Click Fix All, then Next.

F. Click Fix All, then clear CDP check box, thenNext, then manually disable CDP on the WAN interface.

Answer: F

QUESTION: 128

The Cisco UC500 component of the Smart Business Communication System provides which three functions? Select exactly 3 answer(s) from the following:

A. Internet server hosting B. VPN and encryption C. Call Manager Enterprise EditionD. Auto AttendantE. Cisco Unity voice mailF. Layer 2 switching

Answer: B, D, F

Explanation:

UC 500 functions are below. Call processing-Cisco unified communication manager express Voicemail-Cisco unity express voicemail Full portfolio of cisco unified IP phones to meet small and medium business needs Solutions with switching, VPN, encryption data routing and optional wireless LAN Full featured VoIP capability using h.323 and SIP protocols. System level configuration and management solutions for day 0,1 and 2 Auto attendant

Download Full Version From https://www.certkillers.net



Pass your exam at First Attempt....Guaranteed!