



Cisco

650-472 Exam

S802dot1X - Introduction to 802.1X Operations for Cisco Security Professionals

Thank you for Downloading 650-472 exam PDF Demo

You can Buy Latest 650-472 Full Version Download

<https://www.certkillers.net/Exam/650-472>

<https://www.certkillers.net>

Question: 1

Which two statements represent good use cases for Wake on LAN? (Choose two.)

- A. WoL can be used to power-up hosts for on-demand PXE booting.
- B. WoL can be used to power-up hosts for after-hours operating system updates and application patching.
- C. WoL can be used to power-up hosts to access the IPMI.
- D. WoL can be used to save electricity by powering down underused servers and desktops.

Answer: AB

Question: 2

Which two choices are valid methods of authorizing a wired supplicant? (Choose two.)

- A. EAP-FAST
- B. VLAN assignment
- C. dACL
- D. EAPOL
- E. RADIUS

Answer: BC

Question: 3

Which two statements about MACsec security are true? (Choose two.)

- A. MACsec is an IEEE standard that is defined by 802.3AE
- B. MACsec leverages an 802.1X EAP framework to negotiate the MACsec Key Agreement.
- C. MACsec is an IETF standard that is defined by RFC 4501.
- D. MACsec can negotiate a MACsec Key Agreement without 802.1X.
- E. MACsec is an IETF standard that is defined by RFC 4505.
- F. MACsec is an IEEE standard that is defined by 802.1AE

Answer: BF

Question: 4

Which statement correctly defines a persona?

- A. A Cisco ISE node can be configured as a primary or backup persona.
- B. Persona refers to collections of services running on a Cisco ISE node.
- C. A Cisco ISE node can be configured as a wired or wireless persona.
- D. Persona relates to the collection of 802.1X services configured on a Cisco Catalyst switch.

- E. Persona refers to the collection of EAP methods available to a supplicant.
- F. A Cisco ISE node can be configured as a standalone or distributed persona.

Answer: B

Question: 5

Which two EAP methods are examples of challenge-response methods? (Choose two.)

- A. EAP-TLS
- B. PEAP
- C. EAP-FAST
- D. LEAP
- E. EAP-MD5

Answer: DE

Question: 6

On a Cisco Catalyst switch, which default ports will the radius-server host command use for RADIUS authentication and accounting messages?

- A. TCP - Authentication 1645/Accounting 1646
- B. TCP - Authentication 1535/Accounting 1536
- C. TCP - Authentication 1812/Accounting 1813
- D. UDP - Authentication 1535/Accounting 1536
- E. UDP - Authentication 1812/Accounting 1813
- F. UDP - Authentication 1645/Accounting 1646

Answer: E

Thank You for trying 650-472 PDF Demo

To Buy Latest 650-472 Full Version Download visit link below

<https://www.certkillers.net/Exam/650-472>

Start Your 650-472 Preparation

[Limited Time Offer] Use Coupon “CKNET” for Further discount on your purchase. Test your 650-472 preparation with actual exam questions.

<https://www.certkillers.net>