

**ADOBE** 

9A0-310

Adobe Flex2 Developer

- C. An animated Flash movie CANNOT be used as a background image for an application.
- D. If you set the backgroundColor style of the Application tag equal to red, you will get a red gradient background.

### Answer: D

## **QUESTION:** 127

What is the default value for the creationPolicy property of the ViewStack container?

- A. all
- B. auto
- C. none
- D. queued

#### **Answer:** B

## **QUESTION:** 128

You are using the labelFunction property of the DataGridColumn class to call a function that returns a date-formatted string. You want to be able to call the function from more than one DataGridColumn instance. The signature of the function is:

private function formatDate(data:Object, column:DataGridColumn):String { }

You have declared an instance of the DateFormatter class named myFormatter. You want to return a date-formatted string from a dynamically selected property of the data object. Which syntax should you use?

- A. return myFormatter.format(data.column);
- B. return myFormatter.format(data.dataField);
- C. return myFormatter.format(data.column.dataField);
- D. return myFormatter.format(data[column.dataField]);

### **Answer:** D

#### **OUESTION:** 129


You want to move the panel1 and panel2 elements in a transition. Which statement should you use?

- A. <mx:Move ids="{panel1, panel2}">
- B. <mx:Move ids="{[panel1, panel2]}">
- C. <mx:Move targets="{panel1, panel2}">
- D. <mx:Move targets="{[panel1, panel2]}">

## **Answer:** D

## **QUESTION:** 130

Click the Exhibit button. You are working with a constraint-based layout. You want to ensure that a Panel container is always positioned in your application as it appears in the exhibit. Which two properties should you set? (Choose two.)




- A. left
- B. top
- C. right
- D. bottom
- E. verticalCenter
- F. horizontalCenter

Answer: C, D

# **QUESTION:** 131

Click the Exhibit button. You want to layout two Panel containers as shown in the exhibit. Which two MXML code blocks could surround the two Panel containers to create the following display? (Choose two)



- A. <mx:HBox></mx:HBox>
- B. <mx:Panel layout=horizontal></mx:Panel>
- C. <mx:Canvas layout=horizontal></mx:Canvas>
- D. <mx:ViewStack layout=horizontal></mx:ViewStack>
- $E. \ \ <\!\! mx:\!\! Application \ \ layout=\!\! horizontal\!\! >\!\! <\!\! /mx:\!\! Application\!\! >$

**Answer:** A, E

**QUESTION:** 132

Which container controls layout and positioning?

- A. VBox
- B. Accordion
- C. ViewStack
- D. TabNavigator

## **Answer:** A

## **QUESTION:** 133

You have written the following code snippet:

```
<mx:states>
    <mx:State name="expanded">
        <mx:SetProperty target="{panel1}" name="width" value="400" />
        <mx:SetProperty target="{panel1}" name="height" value="250" />
        </mx:State>
</mx:states>
<mx:Panel id="panel1" width="200" height="200" />
```

You want to switch to the new state when the user rolls over the Panel. Which code should you add to the Panel tag?

- A. currentState=roll
- B. rollOver=expanded
- C. currentState=rollOver; expanded
- D. rollOver=currentState=expanded

#### **Answer:** D

## **QUESTION:** 134

Which component renders data from an array or array collection?

- A. TextInput
- B. DataGrid
- C. ProgressBar
- D. NumericStepper

Answer: B 50

# Download Full Version From https://www.certkillers.net

















