



**Adobe**

**9A0-367**

*Adobe Reports and Analytics ACE*

**QUESTION: 54**

You have an active bundle which is configured via CRX repository. What do you have to do after you have saved changes to the configuration to apply them?

- A. Go to the Felix Web OSGi Console, stop and then start the bundle.
- B. Restart the CQ instance.
- C. Go to the Felix Web OSGi Console and re-activate the bundle.
- D. Nothing. Changes are automatically applied.

**Answer: D**

**QUESTION: 55**

You have a page and want to create a child page. Which property has the highest priority to determine which templates can be used?

- A. cq:allowedParents
- B. cq:allowedChildren
- C. cq:allowedPaths
- D. cq:allowedTemplates

**Answer: D**

**QUESTION: 56**

You have successfully installed CRX and crx-launchpad on Websphere Application Server. How do you install CQ5?

- A. Upload the cq-quickstart.jar file to the Felix Console and start the Jar file.
- B. Start cq-quickstart.jar file within the Application Server.
- C. Upload and install cq.war file to the Application Server.

D. Install CQ using content packages.

**Answer:** D

**QUESTION:** 57

How does the Configuration Admin service use Persistence IDs (PID)?

- A. It stores the date for the last configuration.
- B. It stores all the versions of the entire configuration for a service.
- C. It generates a new PID every time the configuration of the services changes.
- D. It associates the service configuration data with PIDs.

**Answer:** D

**QUESTION:** 58

You want to add additional features to a Node. What should you do?

- A. Add a new jcr:primaryType value to the Node.
- B. Invoke the Node's addMixin() method passing the name of a mixin.
- C. Replace current jcr:primaryType with jcr:mixinType.
- D. Add a new nt:base Node type to the Node.

**Answer:** B

**QUESTION:** 59

Which is a difference between an OSGI bundle and a Java package?

- A. None. You can install and activate any java package in an OSGI container
- B. A jar file cannot be inside an OSGI Bundle
- C. The bundle contains extra metadata defined in a MANIFEST.MF file
- D. The bundle package structure is completely different than the one of a .jar file

**Answer:** C

**QUESTION:** 60

You want to install bundles through CRX only in the author instance. Which folder name can you use for that purpose?

- A. All folders under the install folder.
- B. All folders under the install folder that are named author.
- C. All folders named install.author.
- D. The folder runmodes.author.

**Answer:** C

Download Full Version From <https://www.certkillers.net>



**DON'T KNOW**  
OR NO PREFERENCE

*Pass your exam at First Attempt....Guaranteed!*