



# Adobe

**9A0-389 Exam**

**Adobe Campaign Developer**

**Thank you for Downloading 9A0-389 exam PDF Demo**

**You can Buy Latest 9A0-389 Full Version Download**

<https://www.certkillers.net/Exam/9A0-389>

<https://www.certkillers.net>

## Version: 8.0

---

### Question: 1

---

How can you give access to a view without giving access to its source folder?

- A. Provide only read access to the specific parent node.
- B. Do not give read access on the parent node of the source folder.
- C. Set the "Restrict to information found in sub-folders of" tab to the specific view.
- D. The user must be able to access the source folder to access a view.

---

**Answer: B**

---

---

### Question: 2

---

The following XML expression checks for the existence of a first name and will raise an error if the first name field is empty.

```
<leave>
  <check expr="@firstName!='' ">
    <error>Please enter a first name!</error>
  </check>
</leave>
```

Where should this expression be located?

- A. Inside the <form> element of a form only
- B. Inside the master container element within the form
- C. Inside the main table element of the data schema.
- D. Inside an external JavaScript file which is linked to from within a form container.

---

**Answer: C**

---

---

### Question: 3

---

In order to restrict the choice of target elements in an input form a sysfilter was added via the link definition:

```
1 <input xpath="mainContact">
2   <!-- Filter the selection of the link on the adobe.com domain -->
3     <sysFilter>
4       ....
5     </sysFilter>
6 </input>
```

What is missing in line 4?

- A. <element expr="@domain = 'adobe.com'"/>
- B. <condition expr="@domain = 'adobe.com'"/>
- C. <element xpath="@domain = 'adobe.com'"/>
- D. <condition xpath="@domain = 'adobe.com'"/>

---

**Answer: B**

---



---

### Question: 4

---

There are two distinct recipient folders for France and Germany. There are two operator groups for France and Germany that are assigned to each respective folder. A new regional manager joins the company and needs to be able to see both German and French recipients. How should you setup the rights of that user?

- A. Assign the new operator to the Administrator group.
- B. Assign the new operator to both French and German folders.
- C. Assign the new operator to both French operator and the German operator group.
- D. Assign the new operator to a new operator that has rights on both folders.

---

**Answer: A**

---




---

### Question: 5

---

What is the most problematic issue about the workflow shown below?



- A. The end activity will cause all records in the context to be removed from memory.
- B. The split might fail causing no deliveries to be sent.
- C. The two deliveries will be sent concurrently causing issues with the MTA.
- D. The query may not have been completed before the scheduler runs again.

---

**Answer: D**

---

CertKillers.net

## Thank You for trying 9A0-389 PDF Demo

To Buy Latest 9A0-389 Full Version Download visit link below

<https://www.certkillers.net/Exam/9A0-389>

## Start Your 9A0-389 Preparation

**[Limited Time Offer]** Use Coupon “CKNET” for Further discount on your purchase. Test your 9A0-389 preparation with actual exam questions.

<https://www.certkillers.net>