

IBM

A2010-502

Assess: IBM Tivoli Endpoint Manager for Mobile Devices V2.1 Implementation

Answer: C

QUESTION: 80

What is the main function of the Self Service Portal?

- A. It allows the authenticated user to select a security profile.
- B. It allows the authenticated end user to choose applications to install.
- C. It allows the authenticated end user to change configuration settings on devices.
- D. It allows the authenticated end user to view device details and issue basic commands.

Answer: D

QUESTION: 81

Which port combination does an iOS device need to successfully communicate with the Apple Push Notification Service and the iOS Management Extender?

- A. 5223 and 443
- B. 52311 and 443
- C. 52311 and 2195
- D. 52333and2195

Answer: A

QUESTION: 82

Which platforms and components are required to install a BlackBerry Management Extender?

- A. an IBM Endpoint Manager (IEM) client on any platform
- B. an IEM relay on a Linux system
- C. an IEM relay on a Windows system
- D. an IEM relay on all IEM supported platforms

Answer: C

QUESTION: 83

The IBM Mobile Client application cannot be uninstalled from a non-Samsung Android

device. Which action must be taken?

- A. The device must be rooted.
- B. Remove the Android Device Notifier Service (GCM).
- C. Uncheck the device administrator before uninstalling the agent.
- D. Alternatively uninstall the IBM Mobile Client application from the IBM Tivoli Endpoint Manager console.

Answer: C

QUESTION: 84

Which function does the Mobile App Watch List allow?

- A. browsing specific application data
- B. exchanging data among specific applications
- C. counting instances of applications installed on devices
- D. restricting the retrieval of details for applications installed on devices

Answer: D

QUESTION: 85

Which two accounts must be specified when setting up the Self Service Portal? (Choose two.)

- A. an operator account
- B. a web reports account
- C. domain login credentials
- D. local admin credentials for the IBM Endpoint Manager server
- E. the account used to create the Apple Push Notification Service certificates

Answer: A, B

QUESTION: 86

Which statement is true about using the agent-based method to manage Apple iOS devices with IBM Endpoint Manager for Mobile Devices?

A. The agent installed on the iOS device is a modified version of the native BigEix Linux agent.

- B. Management of the device is done using Apple's natively supported Mobile Device Management API's.
- C. The iOS device communicates with the Management Extender for iOS using the HTTP protocol on port 52311.
- D. The Management Extender for iOS must be able to communicate with the Apple Push Notification servers using TCP port 2160.

Answer: B

QUESTION: 87

Which restriction profile can be activated on an iOS device to reduce the risk of corporate information leakage?

- A. disallow voice dialing
- B. disallow Game Center
- C. disallow iCloud backup
- D. disallow Sin when device is locked

Answer: C

QUESTION: 88

Which mobile operating system supports VPN profile configurations using IBM Endpoint Manager for Mobile Devices?

- A. iOS
- B. Android
- C. BlackBerry 10
- D. Windows Phone 8

Answer: A

QUESTION: 89

IBM Endpoint Manager for Mobile Devices commands are not being received by iOS Management Extender managed devices. What is the first log to check?

- A. Iosmdm.log
- B. Ios-plugin.log
- C. mdm-tasks.log
- D. mdm.provider.log

Answer: B

QUESTION: 90

How many BlackBerry Enterprise Servers can be managed by a single BlackBerry Management Extender?

- **A**. 1
- B. 5
- C. 25
- D. No limit

Answer: A

Download Full Version From https://www.certkillers.net

















