



**IBM**

**A2040-403**

*Assessment: IBM Forms 8.0 - Forms Design and Development*

D. When Mark uses a table all items below will automatically shift down or up when needed.

**Answer:** C

**QUESTION:** 96

**QUESTION:** 96

The following statements regarding XForms are true, except for which one:

- A. XForms is based on XML formatted specification.
- B. XForms includes a presentation layer for designing forms.
- C. XForms models typically consist of data, binds, and submissions.
- D. XForms is a W3C recommendation.

**Answer:** B

**QUESTION:** 97

David has built a form that uses XForms Panes, but he cannot access the fields and labels inside a pane. Why can't David access the fields and labels, and how can he correct this problem?

- A. XForms Panes are actually iframes inside an XFDL form. The way to reference the values of the items inside the pane is through the XForms data model.
- B. XForms Panes are insulated from the XFDL items outside of them, as the panes are given a dynamically generated SID at runtime. XForms Panes are unique in that they require the reference to contain ".PANE" in order to access the items inside the pane. For example: PAGE1.AddressPane.PANE.FIELD1.
- C. XForms Panes are insulated from the XFDL items outside of them, as the panes are given a dynamically generated SID at runtime. The best way to reference the values of the items inside the pane is through the XForms data model.
- D. XForms panes are actually iframes inside an XFDL form. The best way to access the values inside the items within the XForms pane is to use the API.

**Answer:** C

**QUESTION:** 98

Which of the following tabs can you NOT remove or hide within the IBM Forms Designer?

- A. Design Tab
- B. Source Tab
- C. Webform Server Tab
- D. Viewer Tab

**Answer:** A

**QUESTION:** 99

What does the following statement represent?

```
<button sid="enclose_button">
  <value>Enclose File</value>
  <fontinfo>
    <fontname>Helvetica</fontname>
    <size>18</size>
    <effect>bold</effect>
    <effect>italic </effect>
  </fontinfo>
  <type>enclose</type>
  <datagroup>
    <datagroupref>Images_Asia</datagroupref>
    <datagroupref>Images_Eur</datagroupref>
    <datagroupref>Images_SAmer</datagroupref>
  </datagroup>
</button>
```

- A. This button allows users to enclose files into one of three datagroups or folders: Images\_Asia, Images\_Eur, Images\_SAmer.
- B. This button allows users to enclose files as one of the three file names: Images\_Asia, Images\_Eur, Images\_SAmer.
- C. This button allows users to enclose files with the name of either Images\_Asia, Images\_Eur, or Images\_SAmer.
- D. None of the above.

**Answer:** A

**QUESTION:** 100

All of the following are valid remarks about converting other file types to an IBM EXCEPT which ONE?

- A. The transformation rules are highly configurable.
- B. After the conversion is complete the form Designer must tweak the layout before publishing the final version.
- C. After the conversion is complete the form Designer must add dynamic logic to the forms.
- D. The transformation rules are not configurable.

**Answer:** D

**QUESTION:** 101

Which of the following reasons for compressing an IBM Form is VALID?

- A. Compressing the form means that the contents of the form are encrypted and secure.
- B. Compressing the form means that the entire form and data model be stored as a single file.
- C. Compressing the form means you can post the form to a database or servlet.
- D. Compressing the form means that you eliminate the white space found in the XFDL file.

**Answer:** D

**QUESTION:** 102

All of the following are accessibility features of the Viewer or Webform Server EXCEPT which one?

- A. Can define text to be spoken by a narration tool.
- B. Can enable a focus indicator
- C. Can change the background color of the focused item
- D. Can enable high contrast mode

**Answer:** C

**QUESTION:** 103

Which absolute XPath query will properly limit the result set to 10 items?

- A. `widgets/widget[position > 5 and position < 16]`
- B. `widgets/widget[position() > 5 and position() < 15]`
- C. `instance('INSTANCE')/widgets/widget[position > 5 and position < 16]`
- D. `instance('INSTANCE')/widgets/widget[position() > 5 and position() < 16]`

**Answer:** D

Download Full Version From <https://www.certkillers.net>



**DON'T KNOW**  
OR NO PREFERENCE

*Pass your exam at First Attempt....Guaranteed!*