



IBM

A2040-410

*Assessment - IBM Notes and Domino 9.0 Social Edition
Application Development*

QUESTION: 109

Linda would like to call an existing IBM LotusScript agent via an XPage. The agent will update a value on the XPage it was called from. Which is the correct way to call the agent to allow an update?

- A. xsp.run
- B. agent.run
- C. xsp.runWithDocumentContext
- D. agent.runWithDocumentContext

Answer: D

QUESTION: 110

Which attribute of a facet specifies the location to display the facet's contents in its parent control?

- A. id
- B. key
- C. xp:id
- D. xp:key

Answer: D

QUESTION: 111

Pamela wants to be able to debug her JavaScript within her XPages in the Notes client (XPiNC) application. What Extension Library control should she add to her XPage to enable this?

- A. Firebug
- B. Firebug Lite
- C. XPiNC CSJS Debugger
- D. XPages CSJS Debugger

Answer: B

QUESTION: 112

A developer is working on an XPage and there is a client-side feature that needs to

compute a value from a viewScope variable docStatus. Which Expression Language syntax will compute the value client-side?

- A. `var myStatus = viewScope.get('docStatus');`
- B. `var myStatus = "#{viewScope.get('docStatus')}"`
- C. `var myStatus = "#{javascript:viewScope.docStatus;}"`
- D. `var myStatus = "#{javascript:viewScope.get('docStatus');}"`

Answer: D

QUESTION: 113

Sarah wants a partial refresh to occur within her XPages application when a user clicks a button. Which is the correct attribute for the button `<xp:eventHandler>` to ensure a partial refresh?

- A. `submit="partial"`
- B. `refresh="partial"`
- C. `refreshMode="partial"`
- D. `submit="partialRefresh"`

Answer: C

QUESTION: 114

Laura wants to add a flag to her XPages control, but does not see it in the All Properties section within IBM Domino Designer in Eclipse. How can she add a custom attribute?

- A. Use the `dojoAttributes` property under the Dojo section.
- B. In the XPage source page, type the desired attribute name into the XML markup.
- C. Use the `attr` property under the basics section to add the custom attribute and value.
- D. Use the `attribute` property under the basics section to add the custom attribute and value.

Answer: C

QUESTION: 115

By default, in which file type are custom controls stored within the Eclipse workspace?

- A. .ccs
- B. .xsp
- C. .xsc
- D. .tmp

Answer: B

QUESTION: 116

Julia wants to display the contents from a column in an IBM Domino view on a mobile page. Which control should Julia add to her mobile XPage to be the container for the Domino view?

- A. View
- B. Data View
- C. Mobile View
- D. Dynamic View

Answer: B

Download Full Version From <https://www.certkillers.net>



DON'T KNOW
OR NO PREFERENCE

Pass your exam at First Attempt....Guaranteed!