



**IBM**

**A2180-271**

*Assessment- IBM Business Process Manager Advanced  
V7.5.1, Deployment*

**QUESTION: 41**

A deployment professional has just created a Process Center remote messaging, remote support, and web topology using the deployment environment configuration wizard in the administrative console. Prior to using the deployment environment configuration wizard, the deployment professional created all the required databases for the topology. When trying to start the deployment environment, the deployment professional gets a number of errors and the environment has failed to start. What could be the cause of this?

- A. Max connections for the database has already been hit.
- B. The REST service endpoints were not configured properly.
- C. The bootstrapProcessServerData command was not run.
- D. The deployment professional does not have the required permissions to start the environment.

**Answer: C**

**QUESTION: 42**

During the development life-cycle of a process application, two groups will work on the application; Group-A and Group-B. Group-A will review the developed processes for verification against the requirements. Group-B will enhance the developed processes and create, edit, or delete library items within the process application. The deployment professional has to ensure each group has the right access level. What is the access level that should be assigned to each group?

- A. Group-A Read, and Group-B Write
- B. Group-A Write, and Group-B Write
- C. Group-A Read, and Group-B Read
- D. Group-A Write, and Group-B Admin

**Answer: A**

**QUESTION: 43**

A deployment professional enabled security for Business Space using a user registry which does not permit the usage of wildcard characters. While performing a user search, the deployment professional is facing an issue since Business Space automatically adds wildcard characters in the search string. To provide the setting `com.ibm.mashups.user.stripWildcards=true`, which configuration file should the deployment professional update?

- A. config.properties
- B. ConfigService.properties
- C. CacheService.properties
- D. DynamicSpotMapping.properties

**Answer:** B

**QUESTION:** 44

During the analysis of a workflow system that will be implemented using IBM Business Process Manager V7.5.1, it was pointed out that the human tasks assignment will not only rely on the organization structure but also on another criteria which will be kept in the application data base. Which people directory provider should the deployment professional use?

- A. LDAP
- B. Active Directory
- C. Operating system repository
- D. Virtual Member Manager ( VMM )

**Answer:** D

**QUESTION:** 45

A deployment professional is finding a large amount of their time is being taken up with administrating failed events. To resolve this issue, another user is to be allowed access to the failed event manager. The user shouldnot have full administrator access to the system. What role should the deployment professional grant to the user?

- A. Monitor
- B. Operator
- C. iscadmins
- D. Configurator

**Answer:** B

**QUESTION:** 46

A client using IBM Business Process Manager Advanced V7.5.1asks a deployment

professional for all necessary requirements to get a fully secure runtime environment. What recommendation should the deployment professional make?

- A. Secure applications deployed in the environment.
- B. Implement a secure communications channel, and take restrictions with network devices.
- C. Enable the administrative security to secure all of the runtime environment.
- D. Enable administrative and application security, and restrict access to critical functions to selected users.

**Answer:** D

**QUESTION:** 47

A deployment professional is using the failed event manager to resubmit failed events. After successful resubmissions, the users who started the initial instances are reporting that they are no longer seeing the process instances they submitted listed as process instances started by them. What is the cause of this?

- A. The resubmitted events generate a new instance task instance.
- B. The instances have completed and have been cleaned up automatically by the system.
- C. The owner of the resubmitted event has changed to that of the user who resubmitted them.
- D. The originator id of the resubmitted event changes to that of the user who resubmitted them.

**Answer:** D

**QUESTION:** 48

A deployment professional must change the realm name for a federated repository after it has been assigned to a security domain. What commands should the deployment professional use to accomplish this requirement?

- A. createIdMgrRealm and updateIdMgrRealm
- B. createIdMgrRealm and addIdMgrRealmBaseEntry
- C. createIdMgrRealm and configureAdminWIMUserRegistry
- D. updateIdMgrRealm and configureAppWIMUserRegistry

**Answer:** D

**QUESTION:** 49

A deployment professional is going to install IBM Business Process Manager Advanced V7.5.1. Oracle will be used as the backend database provider. The deployment professional needs to ensure that the user ID used for installation and configuration has enough privileges to avoid database unauthorized access problems. Which privilege(s) are required by the user ID for this task?

- A. SESSION privilege.
- B. EXECUTE ON PROCEDURES privilege.
- C. CREATSG, CREATEDBA, and CREATEDBC privileges.
- D. Sufficient privileges to create relational tables and indexes in the data store schema.

**Answer:** D

Download Full Version From <https://www.certkillers.net>



**DON'T KNOW**  
OR NO PREFERENCE

*Pass your exam at First Attempt....Guaranteed!*