



IBM

C1000-002 Exam

IBM MQ V9.0 System Administration

Thank you for Downloading C1000-002 exam PDF Demo

You can Buy Latest C1000-002 Full Version Download

<https://www.certkillers.net/Exam/C1000-002>

<https://www.certkillers.net>

Version: 8.0

Question: 1

After completing an IBM MQ for z/OS installation and customization, how can a successful installation be verified?

- A. Review the z/OS MQ SMF records.
- B. Run the command `runmqsc -installation_verify`.
- C. Put a test message on a newly created z/OS queue.
- D. Use the MQ for z/OS installation verification programs (IVPs).

Answer: D

Question: 2

For MQ Advanced for distributed platforms, which two components are included? (Select two.)

- A. MQ Appliance
- B. Managed File Transfer
- C. MessageSight
- D. IBM MQ Internet Pass-Thru
- E. Advanced Message Security

Answer: B,E

Question: 3

An administrator is asked to forward all messages to queue 'TEST.TEMP' if the messages destined for 'TEST.LOCAL' end up on the dead letter queue.

Which rule in the dead letter handler rules table will enable the administrator to achieve this objective?

- A. REASON(MQRC_Q_FULL) ACTION(FWD) FWDQ(&DESTQ) HEADER(NO)
- B. REASON(*) ACTION(FWD) FWDQ('TEST.TEMP') HEADER(NO) DESTQ('TEST.LOCAL')
- C. REASON(*) ACTION(RETRY) FWDQ('TEST.LOCAL') HEADER(NO) INPUTQ('TEST.TEMP')
- D. REASON(MQRC_Q_FULL) ACTION(IGNORE) FWDQ('TEST.TEMP') HEADER(NO) DESTQ('TEST.LOCAL')

Answer: A

Question: 4

What is the purpose of the `-s secretText` parameter used in the `prepareha` and `crthgrp` commands on MQ Appliance?

- A. To be used as the unique key for the appliances.
- B. To be used to decide. In secret, which appliance will be the preferred appliance.
- C. To generate a short-lived password used to create two keys, one for each appliance.
- D. To generate a short-lived password used to set up on unique key for the appliances.

Answer: A

Question: 5

Which channel may be configured with a channel auto-definition exit?

- A. Sender Channel
- B. Receiver Channel
- C. Requester Channel
- D. Client-Connection Channel

Answer: A

Question: 6

An administrator has been asked to make changes to MQ config so that the MQ client application `APP_A` connecting to queue manager `QM1` can reconnect automatically without re-starting the applications.

What does the administrator need to configure to achieve this?

- A. Alter `QMGR` and set the attribute `RECONN(YES)`
- B. Alter `SVRCONN` channel and set attribute `AUTOCONN(TRUE)`
- C. Configure `DefRecon` attribute of `CHANNELS` stanza in `mqclient.ini`
- D. Configure `AutoConnect` attribute of `CHANNELS` stanza in `mqclient.ini`

Answer: C

Thank You for trying C1000-002 PDF Demo

To Buy Latest C1000-002 Full Version Download visit link below

<https://www.certkillers.net/Exam/C1000-002>

Start Your C1000-002 Preparation

[Limited Time Offer] Use Coupon “CKNET” for Further discount on your purchase. Test your C1000-002 preparation with actual exam questions.

<https://www.certkillers.net>