



IBM

C2010-568

IBM Tivoli Composite Application Manager for Application Diagnostics V7.1 I

- B. L1 (Production Mode)
- C. default monitoring level is not set
- D. L2 (Problem Determination Mode)

Answer: B

QUESTION: 100

While troubleshooting an IBM Tivoli Composite Application Manager for Application Diagnostics V7.1 J2EE Data Collector, the IBM support team asks that the gather script be run on Linux. Which command should be used?

- A. kyjcollect.sh with no argument
- B. klzcollect.sh with no argument
- C. klzcollect.sh with lz as the argument
- D. kyjcollect.sh with lz as the argument

Answer: A

QUESTION: 101

Using the Managing Server Visualization Engine, which menu option closes an event that has occurred?

- A. Problem Center
- B. Alerts and Events
- C. Trap and Alert Management
- D. Software Consistency Check

Answer: A

QUESTION: 102

Which two valid protocols do IBM Tivoli Composite Application Manager for Application Diagnostics V7.1 Agent for HTTP servers use to communicate with the Tivoli Enterprise Monitoring Server (TEMS)? (Choose two.)

- A. SNA
- B. SOAP
- C. IP.TCP

- D. IP.PIPE
- E. IP.SNA

Answer: A,D

QUESTION: 103

A PMR has just been opened for the IBM Tivoli Composite Application Manager for Application Diagnostics V7.1 Agent for HTTP Servers agent running on Windows. Tivoli L1 Support needs all required information collected with a gather script. Which command should be executed?

- A. <ITM_home>\bin\kyjcollect.cmd
- B. <ITM_home>\TMAITM6\khtcollect.cmd
- C. <ITM_home>\TMAITM6\kyjcollect.cmd
- D. <ITM_home>\TMAITM6\khtcollect.exe

Answer: B

QUESTION: 104

Issues related to a SAP NetWeaver running at a customer location must be identified. Metrics presented are not conclusive for a clear cause of a problem around memory. Which menu option will help the investigation?

- A. Problem Determination > Memory Diagnosis Tool
- B. Problem Determination > Memory Diagnosis > Memory Analysis
- C. Problem Determination > Problem of Memory Analysis > Memory Leak
- D. Problem Determination > Problem Analysis > Memory Analysis > Memory Leak

Answer: B

QUESTION: 105

In the Managing Server Visualization Engine, what is the minimum level of monitoring required to view a stack trace?

- A. Level 1
- B. Level 2
- C. Level 2+

D. Level 3

Answer: A

QUESTION: 106

In an IBM Tivoli Composite Application Manager for Application Diagnostics V7.1 (ITCAM for AD) environment, what is appropriate when tuning and setting up the MOD at level 2?

- A. include all defaults Java APIs
- B. exclude unnecessary L2 instrumentation
- C. exclude all APIs including nested requests
- D. include all APIs including nested requests and top level requests

Answer: B

QUESTION: 107

Which three properties will allow the Managing Server Visualization Engine to find the working Tivoli Enterprise Portal? (Choose three.)

- A. tep.port
- B. tems.port
- C. tep.baseurl
- D. tep.hostname
- E. db2.selectivity
- F. tems.hostname

Answer: A, C, D

QUESTION: 108

How is IBM Tivoli Composite Application Manager for Application Diagnostics V7.1 (ITCAM for AD) application support installed on a UNIX/Linux server?

- A. use itmcmd support -install
- B. run install.sh from the ITMCAM for AD agent installation media
- C. run launchpad.sh from the ITCAM for AD Managing Server installation media
- D. in the Manage Tivoli Enterprise Monitoring Services window, right-click the suitable

service then select Install Product Support from the menu

Answer: B

QUESTION: 109

A customer is unable to log into Tivoli Enterprise Portal Server (TEPS) with LDAP configured in IBM Tivoli Monitoring environment. The correct user ID and password are used. When attempting to log into the Tivoli Enterprise Portal client, this message appears:KFWITM393E User ID or password invalidWhat can be the reason for this problem?

- A. The LDAP bind password has expired.
- B. The LDAP password is about to expire.
- C. The sysadmin password on TEPS has expired.
- D. The sysadmin password on TEMS has expired.

Answer: A

QUESTION: 110

What is the minimum level of monitoring required to view a full method/component trace in the Managing Server Visualization Engine?

- A. Level 1
- B. Level 2
- C. Level 2+
- D. Level 3

Answer: D

QUESTION: 111

Which two actions must be completed before installing an IBM Tivoli Composite Application Manager for Application Diagnostics V7.1 Managing Server if the Managing Server, WebSphere Application Server (WAS), and database server are on three different systems? (Choose two.)

- A. create a managing server database
- B. install Java on the managing server

- C. install WAS server and then install the WAS client on the managing server host
- D. install the database server and then install the database client on the managing server host
- E. configure SSH between the Managing Server and the database server and between the Managing Server and the WAS

Answer: A, D

QUESTION: 112

While a customer was installing IBM Tivoli Composite Application Manager for Application Diagnostics V7.1 Managing Server in custom installation mode, the database tables failed to create. What can be done to solve the problem?

- A. repeat the installation procedure
- B. reconfigure the Managing Server
- C. ignore the information about the failure in database tables creation
- D. use db2-remote-scripts.tar to install required tables manually

Answer: D

Download Full Version From <https://www.certkillers.net>



DON'T KNOW
OR NO PREFERENCE

Pass your exam at First Attempt....Guaranteed!