



**IBM**

**C2010-577**

*IBM Tivoli Endpoint Manager V8.2 Implementation*

**QUESTION: 110**

An action is issued from a fixlet to an IBM Tivoli EndpointManager (TEM) client that runs the action and reports back with Pending Restart. The action expires and two days later the system running the TEM client reboots. The source fixlet for the action becomes non-relevant on the TEM client but the action status does not update to Fixed. What is the reason for this?

- A. The TEM client only keeps statuses for the last 24 hours.
- B. TEM clients can only update their status with respect to open actions.
- C. There are communication issues between the TEM client and the main TEM server.
- D. A system reboot was not part of the action so the TEM client does not update its status with respect to it.

**Answer: B**

**QUESTION: 111**

How is Relevance language substitution done inside the action script?

- A. Relevance substitution cannot be done in the action script.
- B. Relevance language statements are surrounded by braces { }.
- C. Relevance language statements are surrounded by parentheses ().
- D. Relevance language statements are listed at the beginning of the action script.

**Answer: B**

**QUESTION: 112**

Taking action on the task BES Client Setting: Enable Debug Logging will create a log file. Where does that log file get created?

- A. \windows\temp\besclientdebug.log
- B. \BigFix Enterprise\BES Client\besclientdebug.log
- C. \BigFixEnterprise\BES Relay\wwwrootbes\besclientdebug.log
- D. \BigFixEnterprise\BESClient\\_BESData\\_Global\Logs\besclientdebug.log

**Answer: B**

**QUESTION: 113**

In IBM Tivoli Endpoint Manager V8.2, which three attributes can be set when an operator role is created? (Choose three.)

- A. Assigned sites
- B. Assign LDAP groups
- C. Password complexity requirements
- D. Specific non-LDAP and LDAP operators
- E. The path for storing the operator's private key
- F. The time in seconds before an operator is automatically logged out

**Answer:** A, B, D

**QUESTION:** 114

Which method should be used to have the IBM Tivoli Endpoint Manager client attempt the selection of a specific relay?

- A. Static Relay Selection
- B. Manual Relay Selection
- C. Constrain Relay Selection
- D. Automatic RelaySelection

**Answer:** B

**QUESTION:** 115

Which data is stored in the BESReporting database?

- A. The BESReporting database contains historical information only.
- B. The BESReporting database has been replaced by BFInventory and this contains all the clients' property information.
- C. The computer data that is expected to display in the reports is stored in the BESReporting database. The data is refreshed every five seconds by default.
- D. The BESReporting database contains information about the report properties. The actual data is only displayed when the report is opened and not stored in the BESReporting database.

**Answer:** D

Download Full Version From <https://www.certkillers.net>



**DON'T KNOW**  
OR NO PREFERENCE

*Pass your exam at First Attempt....Guaranteed!*