

**IBM** 

C2010-657

IBM Tivoli Netcool/OMNIbus V7.4 Implementation

## **QUESTION 94**

Which indexes exist on the ObjectServer alerts.status table by default?

- A. one index consisting of the primary key Serial
- B. two indexes; one consisting of Node and one consisting of Serial
- C. one index consisting of the primary key ServerName and ServerSerial
- D. two indexes; one consisting of the Serial and one consisting of the primary key ServerName and ServerSerial

#### Correct Answer D

## **QUESTION 95**

Which statement is true about a temporal trigger?

- A. It responds to changes detected within the ObjectServer.
- B. It is executed repeatedly based on a specified frequency.
- C. It can only be executed if the system is running under process control.
- D. It can only be executed before or after an event is updated in the ObjectServer

## Correct Answer B

## **QUESTION 96**

Which three configuration parameters are set in the \$NCHOME/omnibus webgui/etc/datasources/ncwDataSourceDefinitions.xml file? (Choose three.)

- A. datasource filters
- B. timeoutfor query statements
- C. datasource connection details
- D. HTTP and HTTPS port for the WebGUI
- E. username and password for the datasource(s)
- F. username and password for WebGUI admin user

## Correct Answer BCE

#### **QUESTION 97**

Which two statements are true about automations? (Choose two.)

- A. Automations can communicate with each other and run programs on request.
- B. Automations support full remote management of process agents from a single console.
- C. Automations enable the ObjectServer to process alerts without requiring an operator to take action.
- D. Automations can be used to detect changes in the ObjectServer and to run automated responses to these changes.
- E. Automations provide an interface for defining and manipulating relational database objects such as tables and views

Correct Answer CD

#### **QUESTION 98**

Click the Exhibit button

Widgetcom has deployed this 3-tier standard multi-tier architecture deployment of IBM Tivoli Netcool/OMNIbus V7.4 (Netcool/OMNIbus) using the best practice configuration that ships with the product

WebGUI is to be deployed into the environment. The Aggregation and Display layer ObjectServer details are added to the WebGUI server's data source definition file as a single data source In order to implement automatic load-balancing for connecting WebGUI Active Event List clients, into which ObjectServer table should rows be inserted?

- A. master.national
- B. master.servergroups
- C. catalog.servergroups
- D. no rows need to be added to any ObjectServer table

Correct Answer D

## **QUESTION 99**

The network operation center has two groups of users that use the native desktop. One group, OPERATIONS, requires access to the standard event management tools like acknowledge and delete. They also require access to some custom tools for things like basic troubleshooting (ping and telnet) and ticket creation. The second group, NETWORK, requires access to the same tools used by the OPERATIONS group users In addition, there are a few tools used for advanced router diagnostics that they use. These tools are not to be available to the OPERATIONS group users. To minimize administration efforts a common desktop menu is used for both groups of users.

The users in the OPERATIONS group use Windows desktops to run the native desktop application. What is the technique used to ensure that they only run tools supported on Windows?

- A. no additional configuration is required
- B. the OPERATIONS group is configured to limit access to only those tools supported on Windows
- C. all of the tools used by the OPERATIONS group are configured to limit access to only Windows systems
- D. all of the menus used by the OPERATIONS group are configured to limit access to only Windows systems

## Correct Answer C

## **QUESTION 100**

What is the default location of the localization configuration file on a Linux host?

- A. \$NCHOME/etc
- B. \$NCHOME/etc/locale
- C. \$NCHOME/etc/default
- D. \$NCHOME/etc/platform

#### Correct Answer A

#### **QUESTION 101**

An IBM Tivoli Netcool/OMNIbus V7.4 (Netcool/OMNIbus) environment has been set up with failover ObjectServers. Two custom columns will be added to the event list to show Service Desk Ticket numbers and Ticket Status. Which steps must be taken in this Netcool/OMNIbus environment?

- A. add the columns to the alerts.details table on the primary, modily the Gateway .map file, and restart the ObjectServer
- B. add the columns to the alerts.status table on the primary and backup, modily the Gateway .map file, and restart thegateway
- C. add the columns to the alerts.status table on the primary and backup, modily the Gateway .props file, and restart thegateway
- D. add the columns to the alerts .ticket table on the primary and backup, modily the Gateway .props file, and restart theObjectServer

## Correct Answer B

#### **QUESTION 102**

The IBM Prerequisite Scanner Utility uses product codes to determine host component prerequisites. Which code checks the host for the prerequisites of IBM Tivoli Netcool/OMNIbus Server components?

- A. NOP
- B. NOC
- C. NOS
- D. NCOMS

## Correct Answer C

## **QUESTION 103**

Which utility can be used to export ObjectServer event data?

- A. ws\_ant.sh
- B. nco\_export
- C. nco\_confpack
- D. nco osreport

**Correct Answer** D

# Download Full Version From https://www.certkillers.net

















