



IBM

C2090-310

IBM PureData System for Transactions - Administration

- C. On the System Console, open up the Infrastructure Map and select the LED tab to get information on the power usage of each node.
- D. This information is available on the Infrastructure map. but is only available for the entire rack. No individual node information is available.

Answer: D

Reference:

http://publib.boulder.ibm.com/infocenter/ieduasst/stgv1r0/topic/com.ibm.iea.ipas/ipas/1.0/Management_and_monitoring/IPASv1_Hardware_Management/data/presentation.xml

QUESTION: 51

Which statement regarding PureData and Secure Shell (SSH) is true?

- A. Automatic Client Re-route (ACR) requires SSH.
- B. PureData utilizes SSH to access Cloud Resources.
- C. SSH is required to support the PureData web console.
- D. Full functionality of IBM Data Studio features will not be available without SSH.

Answer: B

Reference:

<http://www-01.ibm.com/support/docview.wss?uid=swg27042486>

QUESTION: 52

In the authentication/authorization model, how many layers are used in a PureData System for Transactions system?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: C

Reference:

http://www-01.ibm.com/support/knowledgecenter/SSNVAT_1.0.0/com.ibm.im.puredb.v1r0.user.doc/c10001008.html

QUESTION: 53

When creating a database from the workload console, which field is optional?

- A. Code set
- B. Schema file
- C. Database user
- D. Collating sequence

Answer: C

Reference:

<http://www.ibm.com/developerworks/data/library/techarticle/dm-1404hadrpure/>

QUESTION: 54

Which two items are true about automatic database backups via Tivoli Storage Manager?

- A. Automatic backups are invoked as online backups excluding transaction logs.
- B. The backup image includes OS user account and group settings as well as DB2 registry values.
- C. IBM Tivoli Storage Manager must be configured only before the database is created to use this function.
- D. IBM Tivoli Storage Manager must be configured before the instance that hosts the database is created to use this function.
- E. The maximum number of backup images that can be stored is seven; after this the oldest image is deleted automatically when a new image is created.

Answer: D, E

QUESTION: 55

There are an even number of members in a pureScale cluster. What happens to the pureScale cluster if half of the members and the primary Cluster Caching facility (CF) fail simultaneously and the remaining CF is in peer state?

- A. The cluster would stay online only if a tiebreaker disk was configured.
- B. The cluster would go offline because primary Cluster caching facility failed.
- C. The remaining member and standby cluster caching facility would also be shutdown and restarted.
- D. The cluster would remain online only if the I/O for failed members is fenced off using SCSI Persistent reserve protocol.

Answer: C

QUESTION: 56

A user is not able to delete an instance. What could be the cause of this failure?

- A. The user is not the instance owner.
- B. The user does not have the 'AH' privilege.
- C. The user does not have the 'Write' privilege.
- D. The user does not have the 'Delete' Privilege.

Answer: A

Download Full Version From <https://www.certkillers.net>



DON'T KNOW
OR NO PREFERENCE

Pass your exam at First Attempt....Guaranteed!