



**IBM**

**C2090-610**

*DB2 10.1 Fundamentals*

**QUESTION:** 125

What mechanism is typically used to automatically update other tables, generate or transform values for inserted or updated rows, and perform tasks such as issuing alerts?

- A. Trigger
- B. Procedure
- C. Table function
- D. Scalar function

**Answer:** A

**QUESTION:** 126

Which data type should be used to store data in a column that represents money and accurately returns a two position scale?

- A. BIGINT
- B. BINARY
- C. DOUBLE
- D. DECIMAL

**Answer:** D

**QUESTION:** 127

User USER1 wants to define a required relationship between two tables named TAB1 and TAB2 in such a way that whenever a record is deleted from table TAB1, any related records are deleted from table TAB2. What must user USER1 do to accomplish this?

- A. 1) Create a primary key on table TAB1;  
2) Create a foreign key on table TAB2 that references the primary key on table TAB1 and adheres to the ON DELETE CASCADE rule.
- B. 1) Create a primary key on table TAB2;  
2) Create a foreign key on table TAB1 that references the primary key on table TAB2 and adheres to the ON DELETE CASCADE rule.
- C. 1) Create a primary key on table TAB1;  
2) Create a foreign key on table TAB2 that references the primary key on table TAB1 and adheres to the ON DELETE RESTRICT rule.
- D. 1) Create a primary key on table TAB2;  
2) Create a foreign key on table TAB1 that references the primary key on table TAB2 and adheres to the ON DELETE RESTRICT rule.

**Answer:** A

**QUESTION:** 128

Which statement about a deadlock is true?

- A. The victim will be rolled back.
- B. The victim will read through the lock.
- C. Both victim and holder are rolled back.
- D. The victim must wait until the holder releases the lock.

**Answer:** A

**QUESTION:** 129

What takes place when a process accesses a data object on which it already holds a lock, and the access mode requires a more restrictive lock than the one currently held?

- A. Lock wait
- B. Lock timeout
- C. Lock escalation
- D. Lock conversion

**Answer:** D

**QUESTION:** 130

What is the act of releasing a large number of row-level locks that an application holds on a single table to acquire a table-level lock known as?

- A. Lock exchange
- B. Lock promotion
- C. Lock escalation
- D. Lock conversion

**Answer:** C

**QUESTION:** 131

When is an INTENT EXCLUSIVE (IX) lock required?

- A. When a transaction intends to read or change data.

- B. When a transaction intends to change but not read data.
- C. When a transaction intends to read but not change data.
- D. When a transaction intends to change the system catalog.

**Answer:** A

**QUESTION:** 132

The EXCLUSIVE MODE option of the LOCKTABLE statement is used to prevent which of the following?

- A. Concurrent application processes from performing any operations on the table.
- B. Concurrent application processes from performing any read-only operations on the table.
- C. Concurrent applications processes that are running under the cursor stability (CS) isolation level from performing read-only operations on the table.
- D. Concurrent applications processes that are running under the uncommitted read (UR) isolation level from performing read-only operations on the table.

**Answer:** A

**QUESTION:** 133

What factor influences lock conversion/promotion?

- A. Lock size
- B. Number of locks
- C. Lock mode needed
- D. Available real storage

**Answer:** C

**QUESTION:** 134

Application APP\_A is performing updates to table TAB1 using the read stability (RS) isolation level. Which isolation level will allow application APP\_B to retrieve all rows from table TAB1 immediately, rather than have to wait until application APP\_A has finished making updates?

- A. Read Stability(RS)
- B. Cursor Stability (CS)
- C. Repeatable Read (RR)
- D. Uncommitted Read (UR)

**Answer:** D

**QUESTION:** 135

If no isolation level is specified, what is the default isolation level used?

- A. Cursor Stability (CS)
- B. Repeatable Read (RR)
- C. Read Stability(RS) with Currently Committed semantics
- D. Cursor Stability (CS) with Currently Committed semantics

**Answer:** A

**QUESTION:** 136

What isolation level prevents dirty reads, nonrepeatable reads, and phantoms?

- A. Read stability (RS)
- B. Cursor stability (CS)
- C. Repeatable read (RR)
- D. Uncommitted read (UR)

**Answer:** C

**QUESTION:** 137

Which DB2 object limits the user's ability to retrieve data from a table by defining a SQL statement in the object?

- A. View
- B. Index
- C. Trigger
- D. Check constraint

**Answer:** A

**QUESTION:** 138

What needs to be defined in order to track changes made to a system-period temporal table over time?

- A. Once the row-begin, row-end, and transaction-start-id columns are created, all

changes are tracked.

B. A history table must be created with identical columns to the base table and a unique index must be defined on the transaction-start-id column.

C. A history table must be created as a clone table of the base table after the row-begin, row-end, and transaction-start-id columns have been defined.

D. A history table must be created with identical columns to the base table and then the base table altered with the ADD VERSIONING clause to relate it to the history table.

**Answer:** D

Download Full Version From <https://www.certkillers.net>



**DON'T KNOW**  
OR NO PREFERENCE

*Pass your exam at First Attempt....Guaranteed!*