

IBM

C2150-197

IBM Security Identity Manager V6.0 Implementation

Answer: C

QUESTION: 155

When gathering requirements for email notifications, which event triggers an email notification?

- A. Reconciliation request activity
- B. Compliance request activity
- C. Adapter activity
- D. Role activity

Answer: C

QUESTION: 156

In a Websphere cluster configured with default file locations, where is the SystemOut.log for a particular application server?

- A. <profile_root>/<cellname>/<nodename>/<servemame>/logs
- B. cellname/<servername</pre>/logs
- C. <profile_root>/logs/<servername>
- D. cprofile_root/<servemame</pre>/logs

Answer: C

QUESTION: 157

Your customer would like to display some of the functions of the Self Service user interface within a portal they have developed for internal use. They would like to show only the operations for a subset of the task boxes on the self-service user interface. How do you accommodate their request?

- A. Change the CSS files so that the banner, footer, and toolbar are no longer visible.
- B. Modify the SelfServiceUI.components.layout properties file.
- C. Change the JSP files in the EAR subdirectory.
- D. Modify the values of the ui.layout properties.

Answer: D

Reference:

http://www-

01.ibm.com/support/knowledgecenter/SSTFWV_5.1.0/com.ibm.itim.doc/tsk/tsk_ic

cfgsys changelayout.html?lang=en (expand configuring, user interface customization overview, self-service user interface customization, see customizing web site layout)

QUESTION: 158

The Active Directory DAML Adapter for IBM Security Identity Manager (ISIM) has been configured for one-way SSL communication in an IBM Security Identity Manager (ISIM) production environment and is using a self-signed certificate. In order for ISIM to communicate with the adapter over SSL what will need to be done with the self-signed certificate?

- A. ISIM can communicate with adapters using self-signed certificates by default. Additional configuration is not required.
- B. The adapter self-signed certificate must be imported into the default truststore for the ISIM application.
- C. The adapter self-signed certificate must be imported into the default keystore for the ISIM application.
- D. One-way SSL configuration is not supported between adapters and ISIM.

Answer: B

QUESTION: 159

An account add request contains an approval activity. The approval specifies both participant and escalation participants. The account add fails with a timeout before the escalation period is reached. What needs to be adjusted to avoid this failure?

A. Increase

com.ibm.itim.rernoteservices.ResourceProperties.MAX_REQUEST_TIME in enRole. Properties

- B. Increase Websphere session timeout through admin console
- C. Increase enrole.ui.maxSearchResults in ui.properties
- D. Increase operation timeout directly in ISIM's LDAP

Answer: B

QUESTION: 160

When 'Enable store forwarding' is checked in the ISIM Post Office configuration, where is "Group Email Topic" specified?

- A. In the XHTML section of workflow notification templates
- B. In the subject of the aggregate message template

- C. In the workflow designer
- D. In enRoleMail.properties

Answer: C

Reference:

http://www-

01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/configur ing/tsk/tsk_ic_postoffice_enable.htm?lang=en (see the procedure)

QUESTION: 161

When applying an IBM Security Identity Manager (ISIM) fixpack in a clustered ISIM installation which statement is correct?

- A. Websphere application and messaging clusters must be stopped prior to installing the ISIM fixpack.
- B. Websphere application and messaging clusters must be running prior to installing the ISIM fixpack.
- C. All Websphere processes must be stopped prior to installing the ISIM fixpack.
- D. All Websphere processes must be running prior to installing the ISIM fixpack.

Answer: A

QUESTION: 162

When gathering requirements for setting the Password policy which two tasks should be identified for system-wide password settings? (Choose two)

- A. Synchronizing password changes for all sponsor accounts
- B. Enabling forgotten password authentication
- C. Enabling forgotten password date rule
- D. Creating a password strength rule
- E. Creating a password notation rule

Answer: B, D

QUESTION: 163

When gathering requirements for Access Control which access level should be identified?

A. Multiple branch tree structure with a set of open nodes

- B. Hierarchical tree structure with a set of linked nodes
- C. Linked list tree structure with a set of linked nodes
- D. Sub-tree structure with a set a defined nodes

Answer: D

QUESTION: 164

To recertify accounts and groups with a recertification policy, which target type must be chosen?

- A. Accounts and Entitlements
- B. Accesses
- C. Accounts
- D. Users

Answer: A

Reference:

http://www-

 $01.ibm.com/support/knowledgecenter/SSRMWJ_7.0.0/com.ibm.isim.doc_7.0/admin/cpt/cpt_ic_admin_recertpolicy.htm$

QUESTION: 165

The client has a requirement to setup a reconciliation schedule against a given service that will run only on Monday. Wednesday, and Friday at 8:00 am. How many schedules will need to be setup for the service in order to meet the requirement?

- A. It is not possible to meet the requirement.
- B. Three schedules will be needed.
- C. Two schedules will needed.
- D. One schedule will needed.

Answer: B

QUESTION: 166

Your customer has requested identity management on a system where no local adapter is available. Developing a new adapter is not feasible, since the system does not document a programmatic means for provisioning. What customization can be used to handle this requirement?

- A. Define a manual service to handle the provisioning in a custom work flow with instructions, notification, and confirmation.
- B. Use a custom life cycle rule to generate tickets into an external service management application.
- C. Define a manual provisioning policy with entitlements that may be invoked on this service.
- D. It is not possible to define a service when you cannot build the adapter.

Answer: C

Reference:

http://www-01.ibm.com/support/docview.wss?uid=swg1IV46888

QUESTION: 167

Which of the following Operating Systems supports TDI Configuration Editor?

- A. Solaris Opteron
- B. Solaris SPARC
- C. HP-UX Integrity
- D. Linux 390

Answer: C

QUESTION: 168

Which DB2 command provides information about the execution state of the database?

- A. Get database manager configuration
- B. Get database configuration
- C. Get monitor switches
- D. Get snapshot

Answer: C

QUESTION: 169

Performance testing phase of IBM Security Identity Manager should focus on which one of the following objectives?

A. How many concurrent requests can be processed on the IBM Security Identity Manager server

- B. Which components of an IBM Security Identity Manager architecture need performance tuning
- C. Time to perform IBM Security Identity Manager fix pack upgrade
- D. How long service reconciles run

Answer: B

Reference:

http://www-03.ibm.com/certify/certs/24008905.shtml

QUESTION: 170

When gathering requirements for data to be loaded, which data feed is natively supported by IBM Security Identity Manager?

- A. A data feed using Microsoft Word format
- B. A data feed using binary data format
- C. A data feed using the SOAP format
- D. A data feed using DSML format

Answer: D

QUESTION: 171

When the role CheckWtiter is assigned to a user, a maximum check amount limit must be specified. What is the recommended design option to implement this requirement?

- A. Advice the customer this requirement involves a custom schema and a custom UI.
- B. Create an Assignment attribute on the CheckWriter role called MaxCheck Amount.
- C. Create multiple roles, one for each check writer's maximum check amount.
- D. Extend the role schema to add an attribute called MaxCheckAmount.

Answer: B

QUESTION: 172

Which entity always applies to all users in the organization tree?

- A. Dynamic role membership
- B. Static role membership

- C. Provisioning policy
- D. Work flow

Answer: B

Reference:

http://www-

01.ibm.com/support/knowledgecenter/SSTFWV_5.1.0/com.ibm.itim.doc/cpt/cpt_ic _plan_or gtree_scope_role.html?lang=en

QUESTION: 173

Which trace settings would offer the most information when debugging a reconciliation failure?

- A. Remote services, policy and script at DEBUG_MAX
- B. Remoteservices and policy at DEBUG_MAX
- C. Logger.trace.level at DEBUG_MAX
- D. Remoteservices at DEBUG_MAX

Answer: C

QUESTION: 174

When gathering requirements for email notifications, which mail protocol is used to send email notifications in the IBM Security Identity Manager environment?

- A. SMTP protocol
- B. IMAP protocol
- C. UDP protocol
- D. TCP protocol

Answer: A

Download Full Version From https://www.certkillers.net

















