

IBM

C2170-008

IBM Curam V6, Development

QUESTION: 36

Which of the following are design objects in the Documentation Center version of the Cúram Impact and Relationship Analyzer (CIARA)? Which of the following are design objects in the Documentation Center version of the Cúram Impact and Relationship Analyzer (CIARA)?

- A. Process flows
- B. Business process objects
- C. Application properties
- D. Database columns
- E. Cascading style sheets

Answer: A, B, D

QUESTION: 37

Which of the following statements are correct?

- A. After making modeling changes in RSA, build generated will be required, but build database may not be necessary.
- B. It is not necessary to stop the Server in Eclipse after making changes to the model in RSA, but it may be necessary to refresh the Server project in Eclipse.
- C. The user should be able to view the application's starting page, providing at least Tomcat is running.
- D. Irrespective of whether the Server is launched before Tomcat, or Tomcat before the Server, the application should still behave correctly in the browser.

Answer: A, D

QUESTION: 38

The variable project.package stores the root name of a Cúram application, for example, project.package=serverworkshop. The variable project.package stores the root name of a Cúram application, for example, project.package=serverworkshop. This variable is stored in which file?

- A. curam-config.xml
- B. Application.prx
- C. Bootstrap.properties
- D. datamanager_config.xml
- E. Curam.properties

Answer: B

QUESTION: 39

Which of the following are valid targets for the server-side build command?

- A. generated
- B. beandoc
- C. database
- D. messages
- E. codetables

Answer: A, C

QUESTION: 40

Which of the following are valid subdirectories of a server component directory?

- A. model
- B. codetable
- C. database
- D. EJBserver
- E. message

Answer: A, B, E

Download Full Version From https://www.certkillers.net

















