



**IBM**

**C2180-607**

*IBM WebSphere Process Server V7.0- Integration Development*

**QUESTION: 96**

An integration developer is testing a solution where every authenticated user needs the ability to start a travel request business process. The integration developer wants to avoid the overhead of creating and managing a large number of work items. The number of instances created is expected to be very high. Which of the following people assignment criteria would be the BEST choice?

- A. Users
- B. Everybody
- C. Users by User ID
- D. Group Members without Named Users

**Answer: B**

**QUESTION: 97**

Refer to the Exhibit. Which of the following statements is TRUE for this configuration?

- A. The task must be an invocation task.
- B. Selecting the second checkbox and creating a simple condition will throw an exception at runtime.
- C. Configuration must be modified if the task is to be completed when 95% of the owners are finished with the task.
- D. The integration developer can define escalations that are triggered when the task is in the ready or claimed state.

**Answer: C**

**QUESTION: 98**

Which of the following CORRECTLY describes a valid consideration regarding the life cycle of a collaboration task with a single owner?

- A. The task can be restarted after it has been terminated if it is not a follow-on task.
- B. The task owner can cancel his claim on the task if it is in the waiting-for-subtask sub-state.
- C. It is possible for the task to expire if it remains in the inactive state long enough without being claimed.
- D. A task that successfully completes can never return to the ready state to be claimed by a new potential owner.

**Answer:** A

**QUESTION:** 99

Module A contains a Java component which invokes creditCheck service defined in Module B. The creditCheck service takes about 2 hours to process. Therefore, the integration developer decided to invoke the creditCheck service using asynchronous with callback. Which of the following statements is TRUE?

- A. Since the creditCheck service takes about 2 hours, the request might timeout.
- B. Because the service requester is a Java component, the service invocation must be type safe.
- C. The creditCheck service needs to implement invokeResponse() method to send the response.
- D. The Java component needs to implement the onInvokeResponse() method to receive the response.

**Answer:** D

**QUESTION:** 100

Refer to the Exhibit.

The screenshot displays the configuration for a JMS binding in IBM Business Process Manager. The diagram shows a flow from BusinessProcessExport to BusinessProcess1, which then connects to Component1. The configuration panel for 'Export: BusinessProcessExport (JMS Binding)' is open, showing the following settings:

- Adapter type: WebSphere Default Messaging Provider version 0.3
- Function selector: JMS message type selector
- Default data format: Serialized Java object (JMS)
- Default message type: Byte
- Binding description: (empty)

Assume that a request-response operation is used to implement BusinessProcess1. Which of the following statements CORRECTLY describes the configuration?

- A. A callback destination must be specified under the binding properties.
- B. The module will not compile because JMS is an asynchronous binding and requires a one-way operation.
- C. BusinessProcess1 can be invoked by placing an XML message on the queue associated with the JMS binding.
- D. The TargetFunctionName JMS message header must be set on the incoming request in order to invoke BusinessProcess1.

**Answer:** A

**QUESTION:** 101

Refer to the Exhibit. Which of the following statements CORRECTLY describes the configuration?

The screenshot shows the configuration for an EJBExport binding in IBM Business Process Manager. The binding is named "Export: EJBExport (Enterprise JavaBeans Binding)". The configuration details are as follows:

Property	Value
JNDI name:	ib.statemachine.binding.StateMachineRemote
Data Handler Type:	com.ibm.wbiserver.datahandler.j2w.JAXWSDataHandler
Function Selector:	com.ibm.wbiserver.selector.j2w.SLSBExportFunctionSelector

- A. An EJB client JAR must be generated in order for the module to compile and run successfully.
- B. The TargetFunctionName property must be set on the incoming request in order to invoke StateMachine1.
- C. If only a local interface is generated for the EJBExport, then all clients invoking StateMachine1 must reside in the module containing the state machine.
- D. Local and remote interfaces must be generated for the EJBExport in order for StateMachine1 to be invoked from other modules and from other servers.

**Answer:** A

**QUESTION:** 102

An integration developer has configured a WebSphere Adapter in a business solution to support two-way communication with an Enterprise Information System (EIS). The business


solution will be triggered by a user's request on a front end web page. Which of the following statements regarding the configuration of the WebSphere Adapter is CORRECT?

- A. An SCA import and an SCA export will be generated for the adapter.
- B. A database trigger will be used to support the runtime operations of the adapter.
- C. An interface for the EIS is not required to be created before running the external services wizard.
- D. If application specific information (ASI) needs to be changed, then the external service wizard must be rerun.

**Answer:** C

**QUESTION:** 103

Refer to the Exhibit. A company uses Application A to receive purchase orders from customers, and Application B to handle the shipping. Therefore, whenever a new order is filled, the shipping address must be sent from Application A to Application B. However, Application B uses the two-letter abbreviation for the address state, while Application A uses the full state name. The state abbreviation list is stored in a CSV file as shown in the Exhibit.



Using the given CSV file, which of the following actions will BEST accomplish this task?

- A. Create an Assign activity in a BPEL to map the state to the abbreviation.
- B. Use a Lookup transformation in a data map to call a static relationship.
- C. Use the database lookup mediation primitive to retrieve a state abbreviation?
- D. Use a Lookup transformation in a data map to retrieve a state abbreviation from the CSV file.

**Answer:** D

**QUESTION:** 104



Refer to the Exhibit. Which of the following statements CORRECTLY describes the configuration?

The screenshot shows an IDE window titled "JMModule1 - Assembly Diagram". The diagram displays three components: "StateMachine1Export", "StateMachine1", and "JMS Import1". "StateMachine1Export" is connected to "StateMachine1", which is connected to "JMS Import1". Below the diagram, the "Properties" view is open for "Import: Import1 (JMS Binding)". The "Binding" tab is selected, showing "End-Point Configuration" and "Managed Connection Factory Properties". The "JNDI lookup name" is set to "jms/certQueue".

- A. The operation attached to the JMS import is one-way.
- B. StateMachine1 will not continue processing until a response is received from the service.
- C. A JMS export is required to enable StateMachine1 to receive JMS responses back from the service.
- D. The jms/certQueue connection factory will be automatically created if it does not exist on the server at runtime.

**Answer:** B

Download Full Version From <https://www.certkillers.net>



**DON'T KNOW**  
OR NO PREFERENCE

*Pass your exam at First Attempt....Guaranteed!*