



# IBM

## C8060-220 Exam

### IBM Sterling Connect:Direct Administration

Thank you for Downloading C8060-220 exam PDF Demo

You can Buy Latest C8060-220 Full Version Download

<https://www.certkillers.net/Exam/C8060-220>

<https://www.certkillers.net>

## Version: 7.0

---

### Question: 1

---

A Sterling Connect:Direct for Windows environment is installed to allow for high availability, by assigning a virtual IP address to the cluster to which each node is then bound to. Which local node parameter is used to specify this virtual IP address?

- A. node.check
- B. tcp.host.port
- C. outgoing.address
- D. Alternate Comminfo

---

**Answer: C**

---

---

### Question: 2

---

A SNIFFER trace shows the following entries:

| No. | Time     | Source       | Destination  | Protocol Info   |
|-----|----------|--------------|--------------|---|
| 22  | 0.264317 | 10.20.72.222 | 10.20.72.226 | TCP 52437 > igo-incognito [FIN, ACK] Seq=3371<br>Ack=2065 Win=11392 Len=0 TSV=1342056958<br>TSER=2948236233 |

Frame 22 (68 bytes on wire, 68 bytes captured)  
Internet Protocol, Src: 10.20.72.222 (10.20.72.222), Dst: 10.20.72.226 (10.20.72.226)  
Transmission Control Protocol, Src Port: 52437 (52437), Dst Port: igo-incognito (4100), Seq: 3371, Ack: 2065, Len: 0

| No. | Time     | Source       | Destination  | Protocol Info   |
|-----|----------|--------------|--------------|---|
| 23  | 0.265463 | 10.20.72.226 | 10.20.72.222 | TCP igo-incognito > 52437 [FIN, ACK] Seq=2065<br>Ack=3372 Win=14400 Len=0 TSV=2948236234<br>TSER=1342056958 |

Frame 23 (68 bytes on wire, 68 bytes captured)  
Internet Protocol, Src: 10.20.72.226 (10.20.72.226), Dst: 10.20.72.222 (10.20.72.222)  
Transmission Control Protocol, Src Port: igo-incognito (4100), Dst Port: 52437 (52437), Seq: 2065, Ack: 3372, Len: 0

| No. | Time     | Source       | Destination  | Protocol Info  |
|-----|----------|--------------|--------------|--|
| 24  | 0.265468 | 10.20.72.222 | 10.20.72.226 | TCP 52437 > igo-incognito [ACK] Seq=3372<br>Ack=2066 Win=11392 Len=0 TSV=1342056959<br>TSER=2948236234 |

Frame 24 (68 bytes on wire, 68 bytes captured)  
Internet Protocol, Src: 10.20.72.222 (10.20.72.222), Dst: 10.20.72.226 (10.20.72.226)  
Transmission Control Protocol, Src Port: 52437 (52437), Dst Port: igo-incognito (4100), Seq: 3372, Ack: 2066, Len: 0

A NETSTAT display was performed. What is the correct connection state that a user should expect?

- A. LAST ACK
- B. FIN WAIT1
- C. ESTABLISHED
- D. The administrator would NOT expect to see a connection show up.

---

**Answer: D**

---

---

**Question: 3**

---

Which component is invoked to stop Sterling Connect:Direct for UNIX?

- A. Security Exit
- B. User Manager
- C. Session Manager
- D. Process Manager

---

**Answer: D**

---

---

**Question: 4**

---

In Sterling Connect:Direct for Windows, which parameter is required when configuring a remote node using Advanced Program to Program Communication (APPC)?

- A. Partner LU Name
- B. Alternate Comminfo
- C. Host Name/IP Address
- D. UDT communication path name

---

**Answer: A**

---

---

**Question: 5**

---

In Sterling Connect:Direct for UNIX, in which path is the file ndmproc located?

- A. ndm/lib/
- B. ndm/bin/
- C. ndm/cfg/cliapi/
- D. ndm/cfg/cd\_node/

---

**Answer: B**

---

---

**Question: 6**

---

In Sterling Connect:Direct for UNIX, an administrator is setting up multiple nodes in a load balancing environment on a cluster file system (not an NFS). The administrator needs to specify a shared area where the multiple nodes can place return code files and copy checkpoint information, so that the various nodes are aware of activity. What parameter is used to specify this?

- A. ndm.path
- B. comm.info
- C. quiesce.resume
- D. snode.work.path

---

**Answer: D**

---

---

**Question: 7**

---

One of the benefits of using Sterling Connect:Direct is that it:

- A. focuses on message switching.
- B. utilizes proprietary data formatting.
- C. provides 24 x 365 unattended operation.
- D. offers manual restart through the use of email.

---

**Answer: C**

---

---

**Question: 8**

---

When configuring a node in Sterling Connect:Direct for Windows, which field is found on the General properties tab in the CD Admin Tool?

- A. API IP Address
- B. Local LU Name
- C. Max PNode Sessions
- D. Enable TCP/IP Support

---

**Answer: C**

---

---

**Question: 9**

---

Which of the following is supported by Sterling Connect:Direct for z/OS V1 FMH flows?

- A. XDR Keywords
- B. Mapped DSECTS
- C. ZLIB Compression
- D. Cyclic redundancy check (CRC)

---

**Answer: B**

---

---

**Question: 10**

---

A Sterling Connect:Direct for UNIX administrator needs to submit a process directly into the Execution queue in order to bypass the Wait queue. Which command will accomplish this task?

- A. submit
- B. submit hold=no
- C. submit retain=no
- D. submit maxdelay=0

---

**Answer: D**

---

CertKillers.net

**Thank You for trying C8060-220 PDF Demo**

To Buy Latest C8060-220 Full Version Download visit link below

<https://www.certkillers.net/Exam/C8060-220>

## Start Your C8060-220 Preparation

**[Limited Time Offer]** Use Coupon “CKNET” for Further discount on your purchase. Test your C8060-220 preparation with actual exam questions.

<https://www.certkillers.net>