



**IBM**

**C9520-420**

*IBM WebSphere Portal 8.5 System Administration Update*

**QUESTION: 26**

Which resource environment provider must be configured to enable attribute-based security for IBM Web Content Manager?

- A. None needs to be configured.
- B. Configure WP AccessManagementService.
- C. Configure WP AccessControlDataManagementService.
- D. The security is integrated into the personalization engine.

**Answer: A**

**QUESTION: 27**

John, an IBM WebSphere Portal administrator, wants to manage many application servers and clusters within a single administrative domain or cell. Which configuration should he use?

- A. a static cluster configuration
- B. a multiple cluster configuration
- C. a dynamic cluster configuration
- D. a distributed cluster configuration

**Answer: B**

**QUESTION: 28**

Which portal application requires an IBM Worklight Server to be installed with IBM WebSphere Portal?

- A. direct update services
- B. Authentication Service with Anonymous access
- C. a shell application using a web view to render markup from the WebSphere Portal site
- D. Authentication Service with access through WebSphere Portal or Web Content Manager

**Answer:** D

**QUESTION:** 29

Paolo has been asked to install a remote search service that will be used with the new IBM WebSphere Portal cluster. What result should Paolo expect when he installs the remote search service using IBM Install Manager?

- A. A new Search Node will be created on the Deployment Manager cell.
- B. A new IBM WebSphere Application Server profile will be created for the remote search service.
- C. An existing default WebSphere Application Server profile will be used for the remote search service.
- D. A new WebSphere Application Server profile will be created on each WebSphere Portal node for remote search synchronization.

**Answer:** B

**QUESTION:** 30

Robert is using multiple clusters in single cell deployment.  
What must Robert do to successfully deploy the initial release in the clusters?

- A. Set-DemptyPortalDuringDeployPAA=true.
- B. Run the deploy-paa task as he would for a normal deployment.
- C. PAA deployment is not supported in multiple clusters on a single cell.
- D. Run the empty-portal task on all clusters, and then run the deploy-paa task with -DemptyPortalDuringDeployPAA=false.

**Answer:** D

**QUESTION:** 31

When using the Web Application Bridge to connect to a separate web content solution, which two components must be created? (Choose two.)

- A. Content Provider Proxy
- B. Content Provider Policy
- C. Content Provider Profile
- D. Content Provider Engine
- E. Content Provider Crawler

**Answer:** A, C

Download Full Version From <https://www.certkillers.net>



**DON'T KNOW**  
OR NO PREFERENCE

*Pass your exam at First Attempt....Guaranteed!*