



IBM

C9560-654

*IBM Tivoli Application Dependency Discovery Manager
V7.2.1.3 Implementation*

QUESTION: 61

Corresponding records can be safely removed from which table after removing the records from the CHANGE_HISTORY_TABLE?

- A. CHANGE_CAUSE_TABLE
- B. TADDM_HISTORY_TABLE
- C. CMDB_DISCOVERY_TABLE
- D. CHANGE_DISCOVERY_TABLE

Answer: A

QUESTION: 62

When installing a production IBM Tivoli Application Dependency Discovery Manager V7.2.1.3 server using the installation wizard, which installation type should be selected?

- A. Simple
- B. Custom
- C. Detailed
- D. Advanced

Answer: D

QUESTION: 63

What is used to find a configuration item by navigating to it through the Inventory Summary link or the Custom Query link?

- A. Edit Component wizard
- B. Create Component wizard
- C. Discovered Components pane
- D. Discovery Management Console

Answer: C

QUESTION: 64

IBM Tivoli Application Dependency Discovery Manager V7.2.1.3 has just been installed on a Linux system. Which step should the administrator do right after installation?

- A. Check that firewalls have the proper ports defined
- B. Ensure that SSL is turned off on the client systems
- C. Verify that the Apache server is running with the appropriate settings
- D. Run the command `$COLLATION_HOME/bin/control status` and check for errors

Answer: D

QUESTION: 65

The IBM Tivoli Application Dependency Discovery Manager V7.2.1.3 administrator on a UNIX system needs to stop, start, and restart the server. Which task is performed after a startup?

- A. Backup the console log for further information at a later date
- B. Check the status of the system by using the Console Server Status tab
- C. Check the `$COLLATION_HOME/log/server.log` log to determine the status
- D. Run a status check with the command `$COLLATION_HOME/bin/control status`

Answer: D

QUESTION: 66

What does this command do?

```
$Collation_Home/bin/tracectl -s Topology -l WARN
```

- A. It creates a split log file for the Topology JVM.
- B. It sets the logging level for the Topology JVM to WARN.
- C. It creates a split log file for the Topology JVM after IBM Tivoli Application Dependency Discovery Manager V7.2.1.3 (TADDM) is restarted.
- D. It sets the logging level for the Topology JVM to WARN after TADDM is restarted.

Answer: B

QUESTION: 67

A built-in Business Intelligence Reporting Tool report can be exported in which three formats? (Choose three.)

- A. JPG
- B. XML
- C. PDF
- D. CSV

- E. EXCEL
- F. Postscript

Answer: C, E, F

QUESTION: 68

Which two tasks must be performed before upgrading the IBM Tivoli Application Dependency Discovery Manager V7.2.1.3 (TADDM) server which used an IBM DB2 database? (Choose two.)

- A. Do not drop any database triggers.
- B. Run db2 drop database taddm.
- C. Ensure primary database users have the authority to run the LOAD command.
- D. Ensure that the TADDM server Java processes are running before and during the upgrade.
- E. Ensure names of business applications and services do not contain single or double quotation marks.

Answer: C, E

QUESTION: 69

While creating a non-admin user account for Windows discovery using IBM Tivoli Application Dependency Discovery manager V7.2.1.3, which option should be selected?

- A. Account is disabled
- B. Password never expires
- C. User cannot change password
- D. User must change password at next logon

Answer: B

Download Full Version From <https://www.certkillers.net>



DON'T KNOW
OR NO PREFERENCE

Pass your exam at First Attempt....Guaranteed!