## SAP

C\_HCDEV\_01 Exam

**Certified Development Associate - SAP HANA Cloud 1.0** 



Thank you for Downloading C\_HCDEV\_01 exam PDF Demo

You can Buy Latest C\_HCDEV\_01 Full Version Download

https://www.certkillers.net/Exam/C\_HCDEV\_01

## Version: 4.0

Question: 1	
You are asked to develop a UI application that can be used by a globa can support this requirement? Note: There are 3 correct answers to this	
<ul> <li>A. Role-based app experience</li> <li>B. Easy adoption for different devices</li> <li>C. Translation and internationalization</li> <li>D. Extensibility concepts at code and application level</li> </ul>	
E. High contrast theme to aid visually impaired users	
	Answer: C, D, E
Question: 2	
Which aspect of model reuse can you use to add both Created by/Changed as information for records?	by/Created at and Changed
A. managed B. temporal C. localized	
D. cuid	
	Answer: A
Question: 3	
In the Run Configurations view, you can see the available dependence, json file. To which of the following can you bind or unbind the are 3 correct answers to this question.	
A. User-provided service	
B. SAP HANA Cloud database C. Local database	
D. External OData service	
E. SAP Job Scheduling service	
	Answer: B, C, D
Question: 4	

\ A /  - : -  -					<b>.</b> _		II	
wnich	раскаде	can	you	use	το	read	pouna	services?

- A. @sap/xsenv
- B. @sap/xssec
- C. @sap/hdi
- D. @sap/hdbext

Answer: A

#### **Question: 5**

How do you define an entity for a business application that supports multiple languages dynamically? Note: There are 2 correct answers to this question.

- A. The entity attributes that need to support multiple languages need to be marked with a special keyword called localized.
- B. A text table gets created for each entity that has attributes defined as localized.
- C. The entity that needs to support multiple languages needs to be marked with a special keyword called localized.
- D. A text table gets created for each entity attribute that is defined as localized.

Answer: A, B

#### Question: 6

You want to implement an event handler to show a console log once a supplier record is read. What is the correct syntax to implement this?

A. const cds = require('@sap/cds')module.exports = cds.service.impl(function () { const {Supplier} = this.entities() this.after('each',Supplier, row =>{ console.log(`Read Supplier: \${row.ID}`)})})

B. const cds = require('@sap/cds')module.exports = cds.service.impl(function () { const {Supplier} = this.entities() this.after('each',Supplier, row =>{ output.log('Read Supplier: \${row.ID}')})})

C. const cds = require('@sap/cds')module.exports = cds.service.impl(function () { const {Supplier} = this.entities()this.on('each',Supplier, row =>{ output.log(`Read Supplier: \${row.ID}`)})})

D. const cds = require('@sap/cds')module.exports = cds.service.impl(function () { const {Supplier} = this.entities() this.on('each',Supplier, row =>{ console.log(`Read Supplier: \${row.ID}`) })})

Answer: C

#### **Question: 7**

What can you use to register the JavaScript implementation of an event handler for external services to the framework?

A. An inline function passed to result of cds.serve()

Answer: B, C, D

<ul><li>B. An @impl annotation in your CDS model file</li><li>C. A .js file with the same name as the .cds file</li><li>D. An inline function passed to result of cds.connect()</li></ul>	
	Answer: D
Question: 8	
Which file in a Multi-Target Application (MTA) project contains the plug supported file suffix?	in name and version of every
Ahdbsynonymconfig Bhdbprojectiononviewconfig Chdiconfig Dhdinamespace	
	Answer: C
Question: 9	
Which request headers values are passed when the scheduler invokes to 2 correct answers to this question.	he endpoint? Note: There are
<ul><li>A. req.headers.connection</li><li>B. x-sap-job-id</li><li>C. req.headers.authorization</li><li>D. x-sap-job-schedule-id</li></ul>	
	Answer: B, D
Question: 10  What are some best practices for Domain Modeling? Note: There a question	re 3 correct answers to this
A. Use plural form for types. B. Start elements with lowercase letters.	

C. Start entity and type name with lowercase letters.

E. Start entity and type name with uppercase letters.

D. Use plural form for entities.

### Thank You for trying C\_HCDEV\_01 PDF Demo

To try our C\_HCDEV\_01 Full Version Download visit link below

https://www.certkillers.net/Exam/C HCDEV 01

# Start Your C\_HCDEV\_01 Preparation

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your C\_HCDEV\_01 preparation with actual exam questions.