

Dell EMC

D-VXR-OE-23 Exam

Dell VxRail Operate 2023

Thank you for Downloading D-VXR-OE-23 exam PDF Demo

You can Buy Latest D-VXR-OE-23 Full Version Download

https://www.certkillers.net/Exam/D-VXR-OE-23

Version: 4.1

| Topic 1, Multiple Choice Questions | |
|---|-----------------------|
| Question: 1 | |
| Which vSphere integrated component must be installed on the VxRail cluste containers? | r that is used to run |
| A. Tanzu | |
| B. vRealize | |
| C. VSAN | |
| D. Docker | |
| Explanation: | Answer: A |

The vSphere integrated component that must be installed on the VxRail cluster to run containers is VMware Tanzu. VMware Tanzu enables Kubernetes container orchestration within a VMware environment, integrating with vSphere to provide a platform for managing containers alongside virtual machines. This allows administrators to deploy and manage containerized applications using the same tools and processes they use for VMs.

Reference: VMware Tanzu Documentation

| Question: 2 |
|--|
| |
| |
| An administrator wants to get information about a specific host and runs this code: |
| GET/v1/hosts/{sn} |
| An API code 404 is returned |
| What is the reason for the error code? |
| |
| A. The administrator was not authenticated |
| B. The provided {sn} was not valid |
| C. There was a server error |
| D. The API is designed to return all hosts in a cluster |
| |
| Answer: B |
| Explanation: |
| |
| The error code 404 indicates that the requested resource could not be found on the server. In the context |
| of the API call GET/v1/hosts/{sn}, the 404 error is returned because the serial number (sn) provided was not valid or does not exist in the database. This means the server could not find any host that matches |
| the provided serial number. |
| Reference: API Documentation for VxRail |
| |
| |
| Question: 3 |
| Question: 3 |
| Question: 3 |
| Question: 3 Which command is used to unlock the mystic account on the VxRail Manager VM? |

A. passwd --user mystic --reset

Questions & Answers PDF Page 4

B. reset-password —user mystic
C. reset-lockout —user=mystic
D. pam_tally2 --user=mystic --reset

Answer: D

Explanation:

To unlock the mystic account on the VxRail Manager VM, the command used is pam_tally2 --user=mystic --reset. This command resets the failed login attempts counter for the specified user, unlocking the account if it was locked due to too many failed login attempts.

Steps to unlock:

Access the VxRail Manager VM through SSH.

Execute the command pam_tally2 --user=mystic --reset.

Verify that the account is unlocked and can log in successfully.

Reference: VxRail Appliance Admin Guide

Question: 4

What is the default load-balancing policy for VxRail Port Groups for a system deployed with a predefined network profile1?

- A. Route based on source MAC hash
- B. Route based on IP hash.
- C. Route based on physical NIC load
- D. Route based on originating virtual port.

B. Enable VMware EVC Mode and then add the new nodes.

C. Create an additional Cluster with the new nodes

Answer: B

Explanation:

When adding VxRail nodes based on a different chipset (e.g., AMD vs. Intel) to an existing cluster, it is necessary to enable VMware Enhanced vMotion Compatibility (EVC) mode. EVC ensures CPU compatibility for vMotion by masking certain CPU features, making it possible to add nodes with different processors to the same cluster without causing compatibility issues.

Steps:

Enable VMware EVC mode on the existing cluster.

Ensure all cluster nodes meet the EVC requirements.

Add the new AMD-based nodes to the existing cluster.

Reference: VMware EVC and CPU Compatibility

Thank You for trying D-VXR-OE-23 PDF Demo

To Buy New D-VXR-OE-23 Full Version Download visit link below

https://www.certkillers.net/Exam/D-VXR-OE-23

Start Your D-VXR-OE-23 Preparation

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your D-VXR-OE-23 preparation with actual exam questions.