

# CertKillers

Guaranteed Success with Accurate & Updated Questions.

*Dell EMC*

*DES-3612*

*Dell EMC Data Protection Specialist for Technology Architect*

**Questions & Answers PDF**

**For More Information - Visit:**  
**<https://www.certkillers.net/>**

# Latest Version: 8.0

## Question: 1

A large telecommunication company runs a large 200 TB Oracle database on a Dell EMC VMAX3. The company is using SRDF/Metro active/active replication with Storage Direct backup to a Data Domain. What is a key consideration before performing a rollback?

Response:

- A. eCDM must be up and running
- B. SRDF link must be manually suspended
- C. A snapshot must be taken using Snap/VX
- D. Restore can only be performed to the R2 copy

**Answer: B**

## Question: 2

In a Dell EMC RecoverPoint environment, which Consistency Group setting will help prevent application for synchronous replication?

Response:

- A. Dynamic by latency
- B. Deduplication
- C. Compression
- D. Snapshot granularity

**Answer: A**

## Question: 3

A customer wants a technology refresh of their Dell EMC Networker environment. They want the ability to backup to disk devices. In addition, they want to write all backup-to-disk devices with eight save sets simultaneously. After reviewing the current environment, you discover that only two drives are used. Which setting should be changed so that all are used simultaneously?

Response:

- A. Target sessions
- B. Devices parallelism
- C. Max session
- D. Client parallelism

**Answer: D**

### Question: 4

A customer is evaluating the risks associated with their environment after implementing a Dell EMC Isolated Recovery Solution. What is the probability of an air gap bypass?

Response:

- A. LOW
- B. MEDIUM
- C. HIGH
- D. INCREASING

**Answer: D**

### Question: 5

A customer is planning to use Dell EMC Data Domain Cloud DR. What is the maximum supported number of protected VMs?

Response:

- A. 500
- B. 750
- C. 1000
- D. 1500

**Answer: C**

### Question: 6

What is a consideration when designing a network topology for PowerProtect Data Manager?


Response:

- A. Configure the specific VLAN ID for network switch port for access mode.
- B. IP addresses from 172.24.0.192 to 172.24.0.255 are reserved for the private Docker network.
- C. IP addresses from 192.168.0.192 to 192.168.0.255 are reserved for the private Docker network.
- D. Enable Virtual Guest Tagging mode on the VMware ESXi virtual network switch port.

**Answer: B**

## Question: 7

Based on the graphic,



which component in the Dell EMC Data Domain Cloud DR solution connects the On-Premises backup solution to the public cloud?

Response:

- A. Cloud DR Add-on
- B. Cloud Backup Manager
- C. Data Domain Cloud Connect
- D. Data Protection Cloud Appliance

**Answer: A**

## Question: 8

A customer has an existing Dell EMC Avamar for metadata integration with a Data Domain DD9800 and they recently purchased an IDPA DP8800.

The current Avamar/Data Domain system has many backups that the customer needs to keep for compliance purposes. In addition, the customer wants to migrate the data over to the DP8800 so that they can restore the backups with the DP8800.

What method must be used to achieve this migration?

Response:

- A. Avamar root-to-root migration
- B. Data Domain-to-Data Domain MTree replication
- C. Avamar/Data Domain Client Migration Tool

D. Data Domain-to-Data Domain Collection replication

**Answer: B**

### Question: 9

A company Protection VM is being protection asynchronously with a Dell EMC RecoverPoint for Vms Consistency Group. When will this VM receive an acknowledgement that a write a successfully written to storage?

Response:

- A. Once the change is written to the Copy VM
- B. After the vRPA acknowledges the Write Splitter
- C. One the change is written to the journal
- D. As soon as the Write Splitter receives the write

**Answer: D**

### Question: 10

What is the expected compression rate for protection operations with Dell EMC Cloud DR before sending data to the cloud?

Response:

- A. 45%
- B. 50%
- C. 60%
- D. 65%

**Answer: B**

### Question: 11

A system administrator has configured data protection and archive media servers to send data to a Dell EMC PowerProtect DD series appliance over Ethernet. Which protocol is used to perform the task?

Response:

- A. SNMP
- B. UDP
- C. SOAP
- D. CIFS

**Answer: D**

### Question: 12

A customer plans to integrate a new Dell EMC Data Domain system into their existing backup environment. Which protocols are supported over Ethernet for the backup data?

Response:

- A. CIFS, HTTP, and VTL
- B. NDMP, VTL, and FTP
- C. CIFS, NFS, and DD Boost
- D. CIFS, VTL, and DD Boost

**Answer: C**

### Question: 13

A company's environment consists of two Dell EMC Unity arrays and two XtremIO arrays connected to a VPLEX. They have a requirement that will provide synchronous load production for several key applications.

How many RecoverPoint cluster and which license type are required to meet this requirement?

Response:

- A. One cluster with one RecoverPointEX license
- B. One cluster with four RecoverPointEX license
- C. One cluster with five RecoverPointEX license
- D. Two cluster with one Recoverpoint.SE license each

**Answer: A**

### Question: 14

As a total data protection solution, which products are included in the Dell EMC Integrated Data Protection Appliance family?

Response:

- A. Data Domain, NetWorker, Search, and DPA
- B. Data Domain, NetWorker, DPA, and ViPR SRM
- C. Data Domain, Avamar, Search, and DPA
- D. Data Domain, Avamar, DPA, and ViPR SRM

**Answer: C**

**Question: 15**

A backup administrator needs to back up a file server at a remote location by using Dell EMC Avamar Virtual Edition (AVE). The file server has approximately 2 TB of data and a change rate of 7 GB per day. Which configuration is required to perform the backup of this remote site?

Response:

- A. 0.5 TB AVE
- B. 1.0 TB AVE
- C. 2.0 TB AVE
- D. 4.0 TB AVE

**Answer: B**