



EMC

E20-532 Exam

Networked Storage SAN Specialist Exam for Storage Administrators

Thank you for Downloading E20-532 exam PDF Demo

You can Buy Latest E20-532 Full Version Download

<https://www.certkillers.net/Exam/E20-532>

<https://www.certkillers.net>

Question: 1

Which statement about the MDS 9000 32-port switch module is correct?

- A. Can support 16 ISLs
- B. Has more bandwidth than the 16 port module
- C. Has a non-blocking architecture
- D. Shares 2Gb bandwidth among four ports

Answer: D

Question: 2

Which is an EMC recommended best practice when doing fabric zoning?

- A. Multiple HBA zoning
- B. Multiple FA zoning
- C. Single HBA zoning
- D. Single FA zoning

Answer: C

Question: 3

How many DS-32M2 switches can be mounted in a single EC-1200 cabinet?

- A. 12
- B. 16
- C. 10
- D. 14

Answer: A

Question: 4

Which two [2] topology port classes are supported by all B-series products?

- A. NL_port
- B. E_port
- C. B_port
- D. FL_port

Answer: B,D

Question: 5

How many switching modules (line cards) can be inserted into the MDS-9509 Director?

- A. 5
- B. 6
- C. 8
- D. 7

Answer: D

Question: 6

How many users can telnet into a Brocade B2 series switch at one time?

- A. 10
- B. 1
- C. 4
- D. 2

Answer: B

Question: 7

HBA has been replaced on a host in a customer environment. After rebooting the host, you notice that the host still sees all storage devices on all paths. Why?

- A. Zoning has been disabled on the switch or hardware/port zoning is in effect
- B. The WWPN of the host has not changed and hence there is no need for any changes to the SAN
- C. The old HBA has the same WWPN as the new one
- D. There is no LUN masking deployed on the storage array

Answer: A,D

Question: 8

Which option is used to prevent mirroring at the host level if the device is already mirrored at the storage level in a PowerPath Volume Manager 4.x environment?

- A. NO_MIRRORS_ON_REDUNDANT_HW_POLICY
- B. HW_MIRRORS_ON_REDUNDANT_SW_POLICY
- C. SW_MIRRORS_ON_REDUNDANT_HW_POLICY
- D. DISABLE_MIRRORS_ON_REDUNDANT_HW_POLICY

Answer: C

Question: 9

What are two [2] advantages of iFCP vs. FCIP?

- A. Maps IP addresses to individual Fibre Channel ports
- B. Creates end-to-end IP Tunneling connecting SAN fabrics
- C. Extends the Fibre channel SAN
- D. Allows fabrics to remain independent

Answer: A,D

Question: 10

Which EMC VisualSAN 4.0 component provides LUN Masking capabilities?

- A. Network Manager
- B. Configuration Manager
- C. SAN Manager
- D. SAN Assistant

Answer: D

Question: 11

What is the reserved address of the Fabric controller?

- A. FFFFFE
- B. FFFFFC
- C. FFFFFD
- D. FFFFFF

Answer: C

Thank You for trying E20-532 PDF Demo

To Buy Latest E20-532 Full Version Download visit link below

<https://www.certkillers.net/Exam/E20-532>

Start Your E20-532 Preparation

[Limited Time Offer] Use Coupon “CKNET” for Further discount on your purchase. Test your E20-532 preparation with actual exam questions.

<https://www.certkillers.net>