



# Huawei

## H11-861 Exam

**HCNP-VC (Huawei Certified Network Professional- Video Conference)**

**Thank you for Downloading H11-861 exam PDF Demo**

**You can Buy Latest H11-861 Full Version Download**

<https://www.certkillers.net/Exam/H11-861>

<https://www.certkillers.net>

## Version: 8.0

---

### Question: 1

---

In H.323 protocol, opening the logical channel follows the rule of "who want to transmit, who open it". ( )

- A. TRUE
- B. FALSE

---

**Answer: A**

---

---

### Question: 2

---

For FEC, When both parties establish a call and the packet loss in media stream exceeds 0.1% within 10s, the FEC function is enabled. FEC separates some bandwidth from the call bandwidth to transmit anti-dropping redundant stream. ( )

- A. TRUE
- B. FALSE

---

**Answer: A**

---

---

### Question: 3

---

In Multi-channel Cascading, the prioritie at using the multiple channels is ( ).

- A. they are the same
- B. Upper-level MCU > Lower-level MCU
- C. Upper-level MCU < Lower-level MCU
- D. user can define it

---

**Answer: B**

---

---

### Question: 4

---

The methods for scheduling a conference that supports recording include ( ). (Select 3 answers)

- A. Using the video phone
- B. Using the SMC
- C. Using the video terminal web interface
- D. Using the telepresence system touch panel

---

**Answer: BCD**

---

---

**Question: 5**

---

Wireshark supports packet decoding for various protocols, include ( ). (Select 3 answers)

- A. IP
- B. TCP
- C. RTP
- D. H.263

---

**Answer: ABC**

---

---

**Question: 6**

---

Over an H.460 network, private video terminals connect to ( ) in the SETUP phase.

- A. TSs
- B. GKs
- C. Public network terminals
- D. MCUs

---

**Answer: A**

---

---

**Question: 7**

---

A Network Diagnostician remotely instructs another Network Diagnostician to initiate a diagnostic test to a network diagnostician in another network. ( )

- A. TRUE
- B. FALSE

---

**Answer: A**

---

---

**Question: 8**

---

In Multi-channel Cascading, the protocols of all multi-channel conference sites must be consistent, but bandwidths can be different. ( )

- A. TRUE
- B. FALSE

---

**Answer: B**

---

---

**Question: 9**

---

An MCU belongs to one service areas. A service area can have multiple MCUs. ( )

- A. TRUE
- B. FALSE

---

**Answer: A**

---

---

**Question: 10**

---

If two MCUs are cascaded to hold a conference, the MCUs join the conference as virtual sites. ()

- A. TRUE
- B. FALSE

---

**Answer: A**

---

---

**Question: 11**

---

Audio Enhancement Technologie-ANR is used to adjust the voice volume of a telephone call. ()

- A. TRUE
- B. FALSE

---

**Answer: B**

---

---

**Question: 12**

---

Multicast allows one or multiple senders (multicast sources) to send one data packet to multiple receivers at a time. ( )

- A. TRUE
- B. FALSE

---

**Answer: A**

---

---

**Question: 13**

---

MCUs assigned to the same service area must share a prefix. ()

- A. TRUE
- B. FALSE

---

**Answer: B**

---

---

**Question: 14**

---

The six call steps of H.323 apply to all H.323 terminals. ( )

- A. TRUE
- B. FALSE

---

**Answer: A**

---

---

**Question: 15**

---

In Videoconferencing room the reason Why the illuminance cannot be too low is because camera generates significant white noises under low illuminance using CCD or CMOS. ( )

- A. TRUE
- B. FALSE

---

**Answer: A**

---

---

**Question: 16**

---

The NLog is part of SMC, Huawei's conference management software. ( )

- A. TRUE
- B. FALSE

---

**Answer: A**

---

---

**Question: 17**

---

A video terminal on a private network (video terminal A) uses the IP address 10.1.0.10, the static NAT outbound address is 61.1.0.10, and the GK IP address is 61.1.0.11. A video terminal on a public network (video terminal B) uses the IP address 61.1.0.12. Video terminal B can dial ( ) to call video terminal

- A.
- A. 10.1.0.10
- B. 61.1.0.10
- C. 61.1.0.11
- D. 61.1.0.12

---

**Answer: B**

---

---

**Question: 18**

---

Users can dial the MCU IP address and follow the IVR instructions to create a conference. ( )

- A. TRUE
- B. FALSE

---

**Answer: A**

---

---

**Question: 19**

---

For INVITE transaction, messages are retransmitted at intervals of ( ) by default.

- A. 500ms, 1s, 2s, 4s, 4s
- B. 500ms, 1s, 2s, 4s, 8s, 16s
- C. 500ms, 1s, 2s, 4s, 8s, 8s
- D. 500ms, 1s, 2s, 4s, 16s, 16s

---

**Answer: B**

---

---

**Question: 20**

---

The To tag, From tag, and Call-ID define the SIP relationship between the user agent client (UAC) and user agent server (UAS), which refers to a dialog. ( )

- A. TRUE
- B. FALSE

---

**Answer: A**

---

## Thank You for trying H11-861 PDF Demo

To Buy Latest H11-861 Full Version Download visit link below

<https://www.certkillers.net/Exam/H11-861>

## Start Your H11-861 Preparation

**[Limited Time Offer]** Use Coupon “CKNET” for Further discount on your purchase. Test your H11-861 preparation with actual exam questions.

<https://www.certkillers.net>