



Huawei

H19-366_V1.0

HCS-Pre-Sale-IP V1.0

QUESTION & ANSWERS

Question: 1

The wireless bands used by WLAN are:

- A. 800MHz and 1800MHz
- B. 400MHz and 800MHz
- C. 2.4 GHz and 5 GHz
- D. 5 GHz and 8 GHz

Answer: C

Question: 2

Currently, the S12700 agile switch supports four models, namely: S12712/S12708/S12710/S12703

- A. TRUE
- B. FALSE

Answer: B

Question: 3

The advantages of the AR3260 over the MSR5600 are multiple.

- A. The control plane and forwarding plane of the AR3260 support redundancy. The MSR5600 only supports control platform redundancy.
- B. The AR3260 high-performance master integrates hardware TM functions. The MSR5600 implements Qos functions such as queue scheduling and congestion avoidance by software.
- C. Full performance lead
- D. The AR3260 supports the national secret SM1, SM2, SM3, and SM4 algorithms. The MSR56 supports only the SM1 algorithm.

Answer: B,C

Question: 4

The main advantages of NIP and domestic friends competition (multiple choice)

- A. Signature library high open rate
- B. Strong attack detection capability for application layer DDOS
- C. Maintain stable detection performance without degrading in large traffic scenarios
- D. Simple configuration

Answer: A,B,C,D

Question: 5

What is the most fundamental difference between an agile switch and a traditional switch? Radio

- A. Agile switches are more energy efficient
- B. Agile switches are smaller
- C. Agile switches have a fully programmable architecture and full-level openness, support forwarding level programmable, and quickly meet business needs
- D. Agile switches perform faster

Answer: C

Question: 6

SDN is the separation of forwarding control

- A. True
- B. False

Answer: B

Question: 7

The best use principles of NGFW include

- A. Based on application control
- B. Whitelist mode
- C. Blacklist mode
- D. Minimum authorization principle

Answer: A,B,D

Question: 8

Which of the following is not an important feature of the agile campus network solution?

- A. MPLS
- B. SVF super virtualization
- C. Wired and wireless deep fusion with the board AC
- D. IPCA

Answer: A

Question: 9

The S5720-SI is a weak Layer 3 Gigabit switch and supports only RIP routing protocols.

- A. TRUE
- B. FALSE

Answer: B
