

Huawei

H35-582 Exam

HCIE-5G Radio V1.0 (Written)

Thank you for Downloading H35-582 exam PDF Demo

You can buy Latest H35-582 Full Version Download

https://www.certkillers.net/Exam/H35-582

Version: 4.0

Question: 1		
In the gNodeB CU/DU separation	architecture, the CU and DU are connector	ed through the N2 interface.
6	,	
A. True		
B. False		
		Answer: B
Question: 2		
In the 5G bearer network, the E\	PN protocol is used to replace the tradition	nal tunneling protocol.
A. True		
B. False		
		Answer: B
Question: 3		
Both optical and electrical RHUB	ports in LampSite networking support pRI	RU cascading.
A. True		
B. False		
		Answer: B
Question: 4		
Under NSA networking, the sma	lest granularity of PDCP layer business off	loading is user level.
A. True		
B. False		
		Answer: B

Question:	5

When the 4G side initiates the release in the NSA network architecture, the X2 interface signaling sees that the 4G base station sends SGNB_REL_REQUEST to the 5G base station.

- A. True
- B. False

Answer: A

Thank You for trying H35-582 PDF Demo

To Buy New H35-582 Full Version Download visit link below

https://www.certkillers.net/Exam/H35-582

Start Your H35-582 Preparation

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your H35-582 preparation with actual exam questions.