

нр HP2-Z31

Creating HP Software-defined Networks

Answer: A

QUESTION: 71

What are the OpenFiow flow entry timeout values? (Select two.)

A. Flow timeoutB. Idle timeoutC. Soft timeoutD. Controller timeoutE. Hard timeout

Answer: B, E

Reference:

<u>http://www.juniper.net/techpubs/en_US/junos13.3/topics/concept/junos-sdn-</u> openflow-flowentry-timers-overview.html

QUESTION: 72

How does an HP VAN SDN Controller team provide high availability for OpenFlow switches?

- A. By using the northbound controller interface tied to a region configuration
- B. By using the northbound controller interface with a secondary interface
- C. By using the southbound controller interface tied to a region configuration
- D. By using the southbound controller interface with a secondary interface

Answer: A

QUESTION: 73

Which OpenFlow message ensures that all previous flow mod messages have been processed by the OpenFlow switch agent and that there are no flow mod messages queued for processing from an earlier time?

- A. Flush
- B. Push
- C. Barrier
- D. Force

Answer: A

QUESTION: 74

What is a key advantage of implementing malware protection by using the HP Network Protector SDN application?

A. To provide central management of antivirus software

- B. To provide role-based access control
- C. To provide VLAN assignment without supplicant
- D. To provide clientless operation

Answer: B

QUESTION: 75

A customer wants to deploy an HP ProVision-based network with laptops daisy chained to physical IP phones. The customer also wants the laptop traffic to be managed by OpenFlow, while the phones use traditional QoS. Which OpenFlow switch instance configuration option should the customer use?

A. QoS passthrough B. Aggregate

- C. Virealization
- D. Passive

Answer: A

QUESTION: 76 Which command installs the HP VAN SDN Controller software?

A. sudo dpkg -1 *hp-sdn-ctl B. sudo dpkg -i hp-sdn-ctl_2.0.0.4253_amd64.deb C. sudo dpkg -P hp-sdn-ctl_2.0.0.4253_amd64.deb D. sudo dpkg -1 hp-sdn-ccl 2.0.0.4253 amd64.deb

Answer: B

QUESTION: 77

An administrator has created a whitelist entry for the website www.piratesmustdie.com. This has been applied to the test group, which contains VLANs 10-20. VLANs 1 - 20 are configured on switches in the network. A time range has been applied to the whitelist for the time period 9:00am to 5:00pm. Which users would be able to access the website?

A. The website is blocked for all users because it has a reputation score of 80 in the RepDV database

B. Users in VLAN 10 will be able to access the website at 10:00am.

C. All users will be able to access the website at 4:00pm.

D. Users in VLAN 5 will be able to access the website at 11:00pm.

Answer: B

QUESTION: 78

What is used by the HP VAN SDN Controllers for internal communication between controllers?

A. REST API Token B. Admin ToKen C. Auth ToKen D. Service Token

Answer: A

Reference:

http://h20566.www2.hp.com/portal/site/hpsc/template.BINARYPORTLET/public/

kb/docDisplay/resource.process/?spf_p.tpst=kbDocDisplay_ws_BI&spf_p.rid_kbDocDispla y=docDisplayResURL&javax.portlet.begCacheTok=com.vignette.cachetoken&spf_p.rst_kb DocDisplay=wsrp-resourceState%3DdocId%253Demr_na-c04003114-

2%257CdocLocale%253D&javax.portlet.endCacheTok=com.vignette.cachetoken(page 27)

Download Full Version From https://www.certkillers.net



OR NO PREFERENCE

GeoTrust, Inc. CLICK 09.01.13 09:37 UTC

() thawte

2013-01-09

TESTED

09-JAN

