



# Juniper

## JN0-694 Exam

### Enterprise Routing and Switching Support, Professional (JNCSP-ENT)

**Thank you for Downloading JN0-694 exam PDF Demo**

**You can Buy Latest JN0-694 Full Version Download**

<https://www.certkillers.net/Exam/JN0-694>

<https://www.certkillers.net>

---

**Question: 1**

---

You are implementing Q-in-Q tunneling on an EX Series switch. You want the tunnel to support all C-VLANs; however, only some VLANs are able to send traffic across the tunnel. Switch-1 has the following configuration:

```
[edit vlans]
user@Switch-1# show
v100 {
  vlan-id 100;
  interface {
    ge-0/0/0.10;
    ge-0/0/1.20;
  }
  dot1q-tunneling {
    customer-vlans [ ];
  }
}
```

What would solve this problem?

- A. Add family ethernet-switching to the tunnel-side interface on Switch-1.
- B. Implement RSTP.
- C. Q-in-Q tunneling will not work in this scenario; use a Layer 2 VPN instead.
- D. Remove the customer-vlans statement.

---

**Answer: C**

---

---

**Question: 2**

---

You are troubleshooting a problem where an OSPF adjacency between two neighboring routers will not form.

What are two reasons for this problem? (Choose two.)

- A. One or both of the connected interfaces are missing the family inet statement.
- B. One or both of the connected interfaces are missing the family iso statement.
- C. The connected interfaces are not on the same subnet.
- D. Another IGP is running on one or both of the routers, overriding OSPF.

---

**Answer: B, D**

---

---

**Question: 3**

---

Your Junos device is dropping certain traffic flows, while allowing other traffic flows to pass through the device unaffected.

Which CoS component is causing this problem?

- A. BA classification

- B. RED
- C. MF classification
- D. Rewrite rules

---

**Answer: D**

---

---

**Question: 4**

---

Two neighboring routers are able to form an OSPF adjacency, but are not able to establish an IBGP neighborhood.

What are two reasons for the IBGP neighborhood problem? (Choose two.)

- A. One of the devices has a misconfigured BGP peer address.
- B. One or both of the connected interfaces are missing the family iso statement.
- C. OSPF has a lower route preference than BGP.
- D. A firewall filter on one of the interfaces is blocking TCP traffic.

---

**Answer: B, C**

---

---

**Question: 5**

---

Your switch is experiencing a problem where a port that should have only one host connected occasionally shows that multiple MAC addresses are being learned.

Which configuration setting would ensure that no extra hosts can join the network using this switch port?

- A. mac-limit
- B. no-mac-learning
- C. persistent-learning
- D. bpdu-block-on-edge

---

**Answer: D**

---

## Thank You for trying JN0-694 PDF Demo

To Buy Latest JN0-694 Full Version Download visit link below

<https://www.certkillers.net/Exam/JN0-694>

## Start Your JN0-694 Preparation

**[Limited Time Offer]** Use Coupon “CKNET” for Further discount on your purchase. Test your JN0-694 preparation with actual exam questions.

<https://www.certkillers.net>