



IBM

LOT-402

Administering IBM Connections 4.0

QUESTION: 129

For IBM Lotus Quickr integration with IBM Connections which two of the following statements must be true? (Select two.)

- A. The Lotus Quickr server and the Connections server must share the same database.
- B. The Lotus Quickr server and the Connections server must be federated in the same node deployment.
- C. The Lotus Quickr server and the Connections server must be using the same LDAP server.
- D. The Lotus Quickr server and the Connections server must be in the same domain.
- E. The Lotus Quickr server and the Connections server must reside in the same IBM WebSphere Application Server cell.

Answer: C, D

QUESTION: 130

Ryan is enabling tracing manually via the IBM WebSphere Integrated Solutions Console to send to IBM Support. Which of the following log levels typically is the most appropriate for this task?

- A. SEVERE
- B. ALL
- C. INFO
- D. WARNING

Answer: B

QUESTION: 131

Sukumar is having an issue and has contacted IBM support. IBM Support has requested that he use the IBM Support Assistant (ISA) Lite tool to help them troubleshoot the issue. Which of the following describes how this tool can be used to help IBM Support resolve the issue?

- A. ISA Lite allows IBM Support to download information from the machine for review to troubleshoot the issue.
- B. ISA Lite allows IBM Support to access the machine and troubleshoot the issue.
- C. ISA Lite collects information to send to IBM Support for review to troubleshoot the issue.

D. ISA Lite collects information and allows IBM Support to access the machine and troubleshoot the issue.

Answer: C

QUESTION: 132

IBM Connections applications maintain delete and access-control update information for search indices for 30 days. If indexing is not performed for 30 days, what should the administrator do to ensure data integrity?

- A. Re-schedule indexing using the CRON task.
- B. Restart the search service to force indexing to start.
- C. Delete and re-create the index.
- D. Check the search logs to determine why indexing stopped.

Answer: C

QUESTION: 133

What property needs to be set to true in order to see additional debug information in the ibmdi.log file?

- A. source_debug=true in the profiles_tdi.properties
- B. debug=true in the map_dbrepos_from_source.properties
- C. nothing as this is enabled by default
- D. source_ldap_debug=true in the profiles_tdi.properties

Answer: D

QUESTION: 134

Mark's users have reported issues accessing the IBM Connections site. Users' browsers hang upon going to the site, and then, after several seconds, they receive the error message: "This page cannot be displayed." What could be the cause of this error message?

- A. The application servers might have crashed and need to be restarted.
- B. The web server might have crashed and needs to be started.
- C. The database became corrupt over night due to backups.
- D. The URL to access the site has expired and needs to be changed.

Answer: B

QUESTION: 135

If the IBM Connections features cannot connect to the database(s), which of the following is the correct tool to use to verify JDBC settings and test the connection?

- A. IBM WebSphere Integrated Solutions Console
- B. IBM Tivoli Directory Integrator
- C. Connections Homepage Administration
- D. IBM DB2

Answer: A

QUESTION: 136

Michael is creating his IBM Connections databases using the provided scripts for IBM DB2. However, whenever he attempts to execute any of the createDb.sql scripts he gets the following exception:

"SQLCODE: -551, SQLSTATE: 42501, DOES NOT HAVE THE PRIVILEGE TO PERFORM OPERATION ON OBJECT". Which of the following best explains the reason Michael is seeing this issue?

- A. He failed to follow all the steps required to create databases manually, specifically the one to ensure that the owner ID has privileges to create databases, tablespaces, tables, and indexes prior to executing the scripts.
- B. He failed to follow all the steps required to create databases manually, specifically the one to issue the db2start command prior to executing the scripts.
- C. He failed to follow all the steps required to create databases manually, specifically to copy the db2jcc.jar and db2jcc_license_cu.jar files prior to executing the scripts.
- D. He failed to follow all the steps required to create databases manually, specifically to execute the appGrants.sql script prior to running the createDb.sql script.

Answer: A

QUESTION: 137

SSO can be configured between IBM WebSphere Application Server, IBM Connections, and Enterprise Content Management servers. Which two from the following list are prerequisites for SSO? (Select two.)

- A. A third-party SSO product must be installed and configured.
- B. Both instances of WebSphere Application Server must use the same LDAP server.
- C. IBM WebSphere Portal server must be used for all SSO-enabled applications.
- D. Both instances of WebSphere Application Server must have global security disabled.
- E. Both instances of WebSphere Application Server must specify the same domain name.

Answer: B, E

Download Full Version From <https://www.certkillers.net>



DON'T KNOW
OR NO PREFERENCE

Pass your exam at First Attempt....Guaranteed!