



**IBM**

**LOT-441**

*IBM Social Software and Unified Communications Fundamentals*

**QUESTION: 110**

When users are in an IBM Sametime Web Conference how can they share content from IBM Lotus Quickr places into their meeting?

- A. Use voice controls to request it.
- B. Nothing, it is shared automatically.
- C. Close the meeting, get the file, upload it, and restart the meeting.
- D. Drag and drop the content from the Lotus Quickr place into the Web conference.

**Answer: D**

**QUESTION: 111**

Which node in the IBM Lotus Quickr server's qpconfig.xml file contains configuration settings for integrating Lotus Quickr with an IBM Enterprise Content Management server?

- A. <integration>
- B. <ecm\_integration>
- C. <content\_manager\_integration>
- D. <enterprise\_content\_manager\_integration>

**Answer: B**

**QUESTION: 112**

If the administrator needs to fix an IBM Lotus Quickr place, the QPTOOL server command can be used to lock it. What is the correct syntax to lock a place?

- A. load qptoollock placename
- B. load qptool placename lock
- C. load qptool lock placename
- D. load qptool lock -p placename

**Answer: D**

**QUESTION: 113**

What are the minimum and recommended amounts of memory (RAM) on an IBM Lotus Quickr server?

- A. Minimum of 1 GB RAM, recommended 2 GB RAM
- B. Minimum of 2 GB RAM, recommended 4 GB RAM
- C. Minimum of 4 GB RAM, recommended 8 GB RAM
- D. Minimum of 6 GB RAM, recommended 8 GB RAM

**Answer:** B

**QUESTION:** 114

Which command is used to restart IBM Lotus Quickr?

- A. restart quickr
- B. restart task http
- C. load qptool restart
- D. restart task quickr

**Answer:** B

**QUESTION:** 115

Which database holds place usage statistics in IBM Lotus Quickr 8.5.1?

- A. names.nsf
- B. placecatalog.nsf
- C. placestatistics.nsf
- D. quickrstatistics.nsf

**Answer:** C

**QUESTION:** 116

If the administrator wants the IBM Lotus Quickr Connectors to install without prompting the user at all, what should be included after qkrconn.exe /install?

- A. /quiet
- B. /silent
- C. /noask
- D. /noprompt

**Answer:** A

**QUESTION:** 117

How would an administrator rebuild the administration place (i.e. the /LotusQuickr/lotusquickr place) on an IBM Lotus Quickr server?

- A. run the command load qptool rebuild -lotusquickr
- B. run the command load qptool recreate -lotusquickr
- C. bring down the server, delete the /LotusQuickr/lotusquickr place at the operating system level, and restart the server
- D. log into Lotus Quickr using a browser, go to the Site Administration link, and click the Recreate Admin Place button

**Answer:** C

**QUESTION:** 118

What is the name of the group created in the IBM Lotus Domino Directory to specify who has super user access?

- A. QpAdmins
- B. QuickrAdmins
- C. QPAdminsGroup
- D. QuickPlaceAdministratorsSUGroup

**Answer:** D

**QUESTION:** 119

Which option is an officially supported IBM Lotus Quickr 8.5.1 environment?

- A. IBM Lotus Domino 8.5 32-bit on a Microsoft Windows 2003 64-bit operating system
- B. Lotus Domino 8.5.1 FP5 64-bit on a Windows 2008 64-bit operating system
- C. Lotus Domino 8.5.1 FP5 32-bit on a Windows 2003 64-bit operating system
- D. Lotus Domino 8.5.1 FP5 64-bit on a Windows 2003 64-bit operating system

**Answer:** C

**QUESTION:** 120

What is a current known limitation when integrating IBM Lotus Quickr 8.5.1 with IBM Lotus iNotes?

- A. Users cannot view Lotus Quickr links in messages sent to them.
- B. Users cannot save an attachment in mail they receive to a Lotus Quickr place.
- C. Users cannot add a Lotus Quickr place from within their Lotus iNotes user preferences.
- D. Lotus Quickr integration is not available for Lotus iNotes when users are offline or accessing a local archive database.

**Answer:** D

Download Full Version From <https://www.certkillers.net>



DON'T KNOW  
OR NO PREFERENCE

*Pass your exam at First Attempt....Guaranteed!*