

IBM

LOT-914

Administering IBM Lotus Quickr 8.5 For(R) Domino

QUESTION: 92

For security reasons, ACME wants to enable caching only to static content when accessing their Lotus Quickr environment. Which one of the following will enable this configuration?

- A. Set the following lines in the qpconfig.xml:
-
browser_caches_place_content enabled="false">
- </browser_caches_place_content>
- B. Set the following lines in the qpconfig.xml:
- <sign_out enabled="true"/>
- <clear_browser_cache enabled="true"/>
- C. Disable Dynamic Content Cache via Site > Administration > Cache Settings
- D. Add the following line to the server's notes.ini

Cache_control_enabled=1

Answer: A

QUESTION: 93

Oliver has configured Lotus Quickr to allow uploading attachments up to 50 MB, however he cannot upload attachments bigger than 10 MB. How can Oliver resolve this issue?

- A. He must set "Maximum size of request content" to 50000 KB in the Domino Server Document
- B. He must set "Maximum HTTP Post File" to 50 MB in the Domino Server Configuration Document
- C. He needs to addHTTP_File_Upload=50000 to the server's notes.ini
- D. He needs to addHTTP_POST_Limit=50000 to the server's notes.ini

Answer: A

QUESTION: 94

Carol has created a new Place and wants to allow only specific users to be able to access specific Pages. How can she configure this scenario?

- A. She must add the users with special access as Managers
- B. She must add the users with access to the restricted Pages as Editors
- C. When creating restricted Pages, she must specify who can access them.
- D. Granular access inside a Place is not available

Answer: C

QUESTION: 95

Tess has installed Lotus Quickr and would like to set a maximum size to all specific Places. Which one of the following must be used?

- A. Create a Policy and set "Lock this place when it reaches this size"
- B. Set a Database Quota to Main.nsf under the <PlaceName> folder
- C. Using qpconfig.xml, set:
- <MaxSizeLimit enabled="true">
- <MaxSizeMB value="50">
- D. LotusQuickr Places do not support size restrictions

Answer: A

QUESTION: 96

Will is set up as the administrator of his company's Quickr server and is about to go on vacation. The server is connected to a user directory. What does Will need to do to set up another person with administrator rights while he is out of the office?

- A. Add the user to the Local Domain Admins group on the Domino server.
- B. Modify qpconfig.xml to configure the user in the administrators section:
- <administrators>
- <dn>cn=Lotus Quickr Admin,o=ibm</dn>
- </administrators>
- C. Add the new administrator under Site Administration, Security, Who can administer this server
- D. Only one Site Administrator is allowed.

Answer: C

QUESTION: 97

Which one of the following actions CANNOT be performed while on Lotus Quickr > Site Administration?

- A. Specify a LDAP server
- B. Specify aSametime Meeting Server
- C. Assign a Policy
- D. Enable Calendar Subscriptions

Answer: C

QUESTION: 98

Ashawould like to automatically send a warning when all - existing and new places - are inactive for more than 90 days. How can she accomplish this configuration?

A. She must use a Policy to define the number of days of inactivity in order to send a Warning. She also must assign this policy to all Places and Templates.

B. Using qpconfig.xml, she must set

<place_expiration enabled="true">

<place_expiration_days value="90">

C. Using qpconfig.xml, she must set

<places_expiration enabled="true">

<places_expiration_days value="90">

<templates_expiration enabled="true">

<templates_expiration_days value="90">

D. She must define the expiration and warning parameters via: For Places:

Place Administration > Places select all places and click More Actions > Set Warning For templates:

Place Administration > Templates, then select all templates and click More Actions > Set Warning

Answer: A

Download Full Version From https://www.certkillers.net

















