

## **Nokia**

NCS\_20022252020 Exam

NCSS 2G/3G SCN PaO 2.2

Thank you for Downloading NCS\_20022252020 exam PDF Demo

You can Buy Latest NCS\_20022252020 Full Version Download

https://www.certkillers.net/Exam/NCS\_20022252020

## Version: 7.0

Introduction of HD Voice into a network will impact which of the following MGW functional units?  A. ISU/CLA, IPNIP/NGEP, TCUs B. IPNIP/NPGEP and TCUs C. TCUs D. No impact on MGW HW  Answer: B	
B. IPNIP/NPGEP and TCUs C. TCUs D. No impact on MGW HW	
D. No impact on MGW HW	
·	
Answer: B	
Question: 2	
Why do we need NW Assessment?	
A. It is required to collect the existing network information and status for Network Design Optimization.  B. To commission NEs. C. For KPI monitoring. D. For databuild creation.	&
Answer: A	_
Question: 3	
Benefit(s) of introducing load balancing to MSS:	
A. Decrease number of IP links B. Decrease number of VMGWs C. Hide internal MSS topology D. All of the above.	
Answer: D	
<del></del>	
Question: 4	

CSFB Solution is required for?

- A. To facilitate the early introduction of LTE in the network, before the introduction of IMS\_VolTE.
- B. CSFB is required when coverage of VoLTE is not widely deployed, it allows subscriber to Fall Back to CS during the call when moves outside VoLTE coverage.

B. HLD and LLD.

C. CSFB is a new type of Handover introduced to the network that vallows the MSS to share the MGW resources with MME to offer required D. All of the above.	
- -	Answer: A
Question: 5	
The reasons for operator to migrate to ATCA MGW from the IPA MGW and	re:
A. ATCA MGW have lower foot print, higher capacity and better powe IPA MGW.  B. ATCA MGW supports all interface types ATM/TDM/IP unlike the IPA.  C. IPA reached end of support and all customers must upgrade now to ATD. ATCA MGW is required for new features like SRVCC, HD voice, RTP must	ГСА.
- -	Answer: A
Question: 6	
Who is responsible for Network Element's services cost?	
A. Care Engineer B. Project Manager C. Service Product Manager D. NPO Engineer	
	Answer: C
Question: 7	
Which CS Core Optimization below is part of the available services?	
A. CS Core capacity optimization B. Feature Introduction C. CS Core optimization D. All of the above.	
- -	Answer: D
Question: 8	
Which document(s) need to get customer approval before proceeding w	ith databuild?
A. HLD and RFP.	

**Answer: A** 

C. No approval required. D. Dimensioning document.	
	Answer: B
Question: 9	
The protocol used for CSFB between MME & VLR is:	
A. SGSAP B. SIP C. MAP D. GTP	

## Thank You for trying NCS\_20022252020 PDF Demo

To Buy Latest NCS\_20022252020 Full Version Download visit link below

https://www.certkillers.net/Exam/NCS 20022252020

## Start Your NCS\_20022252020 Preparation

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your NCS\_20022252020 preparation with actual exam questions.