

NetApp

NS0-520 Exam

Certified Implementation Engineer - SAN Specialist ONTAP



Thank you for Downloading NS0-520 exam PDF Demo

You can Buy Latest NS0-520 Full Version Download

<https://www.certkillers.net/Exam/NS0-520>

<https://www.certkillers.net>

Version: 5.0

Topic 1, Exam Pool A

Question: 1

Question

Exhibit

```
::>network interface show -fields data-protocol
```

vserver	lif	data-protocol
svm-iscsi1	lif1	nfs,cifs
svm-iscsi1	lif2	nfs,cifs

You are asked to serve iSCSI LUNs in an existing SVM on your AFF A220 using ONTAP 9.5. You verified that the iSCSI license is configured on your cluster and that the iSCSI protocol is enabled.

Referring to the exhibit, what is needed to allow hosts to log into the iSCSI target?

- A. Create new LIFs with the iSCSI data protocol.
- B. Create new igroups with the host IQNs.
- C. Add iSCSI to the data protocol of the existing LIFs.
- D. Map LUNs to the igroups.

Answer: D

Explanation:

Question: 2

You are testing iSCSI LUN failover across a 4-node FAS9000 fabric-attached MetroCluster configuration.

In this scenario, which front end configuration is required for non-disruptive host LUN failover between sites?

- A. an intercluster LIF
- B. a stretched Layer 2 network
- C. Ipv6

D. a stretched VSAN

Answer: A

Explanation:

Question: 3

Question

Exhibit

```
c11::> uadmin show
```

Node	Adapter	Current Mode	Current Type	Pending Mode	Pending Type	Admin Status
01a	0e	cna	target	-	-	online
01a	0f	cna	target	-	-	online
01a	0g	cna	target	-	fc	online
01a	0h	cna	target	-	fc	online
01b	0e	cna	target	-	-	online
01b	0f	cna	target	-	-	online
01b	0g	fc	target	-	-	online
01b	0h	fc	target	-	-	online

Referring to the exhibit, which two pairs of ports are currently configurable as FC SAN LIFs? (Choose two.)

- A. 01b, 0h
- B. 01a, 0g
- C. 01a, 0h
- D. 01b, 0g

Answer: D

Explanation:

Question: 4

You have a 4-node cluster with an AFF A300 HA pair and a FAS8200 HA pair. You plan on using the default storage efficiency settings. With inline data compaction, you estimate that you can save 6% of storage space. AFF A300 volumes that use under 5000 IOPS are moved to a FAS8200 using the volume move command.

In this scenario, what happens to the data after the volume is moved? (Choose two.)

- A. The new written data is not compacted.


- B. The existing data is compacted.
- C. The new written data is compacted.
- D. The existing data is not compacted.

Answer: A

Explanation:

Question: 5

Question **Exhibit**



You have a requirement to serve LUNs with under 200 microsecond latency using local server lass memory. You also are required to use a shared SAN.

Using MAX Data as shown in the exhibit, which two LUN access protocols are supported with this solution? (Choose two.)

- A. iSCSI
- B. FCoE
- C. FC
- D. NVMe

Answer: D

Thank You for trying NS0-520 PDF Demo

To Buy Latest NS0-520 Full Version Download visit link below

<https://www.certkillers.net/Exam/NS0-520>

Start Your NS0-520 Preparation

[Limited Time Offer] Use Coupon “CKNET” for Further 10% discount on your purchase. Test your NS0-520 preparation with actual exam questions.

<https://www.certkillers.net>