## **Fortinet**

NSE4\_FGT-6.2 Exam

Fortinet NSE 4 - FortiOS 6.2 Exam



Thank you for Downloading NSE4 FGT-6.2 exam PDF Demo

You can Buy Latest NSE4\_FGT-6.2 Full Version Download

https://www.certkillers.net/Exam/NSE4\_FGT-6.2

## Version: 8.0

Question: 1	
Examine the FortiGate configuration:	
config user settings	
set auth-on-demand imp	licitly
end	
What will happen to unauthenticated users when an active authenticatio through policy without authentication?	on policy is followed by a fall
<ul><li>A. The user must log in again to authenticate.</li><li>B. The user will be denied access to resources without authentication.</li><li>C. The user will not be prompted for authentication.</li><li>D. User authentication happens at an interface level.</li></ul>	
	Answer: A
Explanation Explanation/Reference: Reference: <a href="https://kb.fortinet.com/kb/documentLink.do?externalID=FD4">https://kb.fortinet.com/kb/documentLink.do?externalID=FD4</a>	
Question: 2	
Which downstream FortiGate VDOM is used to join the Security Fabric wlenabled on all FortiGate devices?	hen split-task VDOM is
A. FG-traffic VDOM B. Root VDOM C. Customer VDOM D. Global VDOM	
_	Answer: B
_	
Explanation Explanation/Reference:	
Reference: https://docs.fortinet.com/document/fortigate/6.2.0/new-fear	tures/287377/split-task-
vdom-support	, , , , , , , , , , , , , , , , , , , ,
Question: 3	

In a high availability (HA) cluster operating in active-active mode, which of the following correctly describes the path taken by the SYN packet of an HTTP session that is offloaded to a secondary FortiGate?

- A. Client > primary FortiGate > secondary FortiGate > primary FortiGate > web server.
- B. Client > secondary FortiGate > web server.
- C. Clinet >secondary FortiGate> primary FortiGate> web server.
- D. Client> primary FortiGate> secondary FortiGate> web server.

#### Question: 4

Which statements about antivirus scanning mode are true? (Choose two.)

- A. In proxy-based inspection mode antivirus buffers the whole file for scarring before sending it to the client.
- B. In flow-based inspection mode, you can use the CLI to configure antivirus profiles to use protocol option profiles.
- C. In proxy-based inspection mode, if a virus is detected, a replacement message may not be displayed immediately.
- D. In quick scan mode, you can configure antivirus profiles to use any of the available signature data bases.

Answer: A, B

A: Buffers the whole file, packets sent to the client after scan finishes-

B: When the antivirus profile is operating in flow-based inspection mode, two scanning mode options are available: full scan mode and quick scan mode.(Normal extended, or extreme-depending on what is configured in the CLI).

#### **Question: 5**

The FSSO Collector Agent set to advanced access mode for the Windows Active Directory uses which of the following?

- A. LDAP convention
- B. NTLM convention
- C. Windows convention NetBios\Username
- D. RSSO convention

#### Question: 6

Which Statements about virtual domains (VDOMs) arc true? (Choose two.)

Answer: A

<ul><li>A. Transparent mode and NAT/Route mode VDOMs cannot be combined.</li><li>B. Each VDOM can be configured with different system hostnames.</li><li>C. Different VLAN sub-interface of the same physical interface can be D. Each VDOM has its own routing table.</li></ul>	
	Answer: C,D
Question: 7	
What FortiGate components are tested during the hardware test? (Ch	oose three.)
A. Administrative access B. HA heartbeat C. CPU D. Hard disk E. Network interfaces	
	Answer: C,D,E
Question: 8	
A team manager has decided that while some members of the team is website, the majority of the team does not. Which configuration option to support this request?	•
A. Implement a web filter category override for the specified website B. Implement web filter authentication for the specified website C. Implement DNS filter for the specified website.	

Question: 9

Examine the exhibit, which shows the output of a web filtering real time debug.

**Answer: C** 

```
Local-FortiGate # diagnose debug application urlfilter -1

Local-FortiGate # msg="received a request /tmp/.wad_192_0_0.url.socket, addr_len =31: d=www.bing.com:80, id=29, vfname='root', vfid=0, profile='default', type=0, client=10.0.1.10, url_source=1, url="/"

Url matches local rating action=10(ftgd-block) wf-act=3(BLOCK) user="N/A" src=10.0.1.10 sport=63683 dst=2 04.79.197.200 dport=80 service="http" cat=26 cat_desc="Malicious Websites" hostn ame="www.bing.com" url="/"
```

Why is the site www.bing.com being blocked?

- A. The web site www.bing.com is categorized by FortiGuard as Malicious Websites.
- B. The user has not authenticated with the FortiGate yet.
- C. The web server IP address 204.79.197.200 is categorized by FortiGuard as Malicious Websites.
- D. The rating for the web site www.bing.com has been locally overridden to a category that is being blocked.

Answer: D

Question: 10

When using WPAD DNS method, which FQDN format do browsers use to query the DNS server?

A. srv\_proxy.<local-domain>/wpad.dat
B. srv\_tcp.wpad.<local-domain>
C. wpad.<local-domain>
D. proxy.<local-domain>.wpad

https://help.fortinet.com/fortiproxy/11/Content/Admin%20Guides/FPX-AdminGuide/600 Objects/607 Web-proxy-global.htm

#### Question: 11

You have tasked to design a new IPsec deployment with the following criteria:

- \* All satellite offices must connect to the two HQ sites.
- \* The satellite offices do not need to communicate directly with other satellite offices.
- \* Backup VPN is not required.
- \* The design should minimize the number of tunnels being configured.

Which topology should be used to satisfy all of the requirements?

- A. Partial mesh
- B. Hub-and-spoke
- C. Fully meshed
- D. Redundant

	Answer: B
Question: 12	
What criteria does FortiGate use to look for a matching firewall politwo.)	cy to process traffic? (Choose
A. Services defined in the firewall policy.	
B. Incoming and outgoing interfaces	
C. Highest to lowest priority defined in the firewall policy.	
D. Lowest to highest policy ID number.	
	Answer: A,B
Question: 13	

You are configuring the root FortiGate to implement the security fabric. You are configuring port10 to communicate with a downstream FortiGate. View the default Edit Interface in the exhibit below:

Edit Interface	
Interface Name Alias Link Status Type	port10(00:0C:29:53:DE:D7)  Up ① Physical Interface
Tags	
Role 0	Undefined
	◆ Add Tag Category
Address	
Addressing mode	Manual DHCP One-Arm-Sniffer Dedicated to FortiSwitch
IP/Network Mask	
Administrative Acce	ess .
IPv4 HTTPS	☐ HTTP
□ CAPWAP	SSH SNMP FTM
RADIUS A	ccounting
■ DHCP Server	
letworked Devices	
Device Detection ③	
	OK Cancel

When configuring the root FortiGate to communicate with a downstream FortiGate, which settings are required to be configured? (Choose two.)

- A. Device detection enabled.
- B. B. Administrative Access: FortiTelemetry.
- C. IP/Network Mask.
- D. Role: Security Fabric.

Answer: B,C

### Thank You for trying NSE4\_FGT-6.2 PDF Demo

To Buy Latest NSE4\_FGT-6.2 Full Version Download visit link below

https://www.certkillers.net/Exam/NSE4 FGT-6.2

# Start Your NSE4\_FGT-6.2 Preparation

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your NSE4\_FGT-6.2 preparation with actual exam questions.