

# **Fortinet**

NSE6\_FNC-7.2 Exam

Fortinet NSE 6 - FortiNAC 7.2

Thank you for Downloading NSE6\_FNC-7.2 exam PDF Demo

You can Buy Latest NSE6\_FNC-7.2 Full Version Download

https://www.certkillers.net/Exam/NSE6 FNC-7.2

## Version: 4.1

Question: 1	
Where should you configure MAC notification traps on a supported switch	?
<ul><li>A. Configure them only after you configure linkup and linkdown traps.</li><li>B. Configure them on all ports on the switch.</li><li>C. Configure them only on ports set as 802 1g trunks.</li><li>D. Configure them on all ports except uplink ports.</li></ul>	
	Answer: C
Explanation: In general, for network switches supporting MAC notification traps, it's advonall ports except uplink ports. Uplink ports are used for connecting to oth infrastructure devices and typically don't need MAC notification traps, whi device connectivity monitoring.  The study guide specifies that MAC notification traps should not be configurable. They are the preferred method for learning and updating Layer 2 is used whenever available, but not on uplink interfaces.	ner switches or network ch are more relevant for end- ured on interfaces that are
Question: 2	
Where do you look to determine which network access policy, if any is being	ng applied to a particular host?
A. The Policy Details view for the host B. The Connections view C. The Port Properties view of the hosts port D. The Policy Logs view	
	Answer: A

#### Explanation:

To determine which network access policy is applied to a particular host, you should look at the Policy

**Questions & Answers PDF** 

Details window. This window provides information about the types of policies applied (such as Network Access, Authentication, Supplicant, etc.), including the profile name, policy name, configuration name, and any settings that make up the configuration.

FortiNAC p 382: "Under Network Access Settings - Policy Name - Name of the Network Access Policy that currently applies to the host."

## Question: 3

While troubleshooting a network connectivity issue, an administrator determines that a device was being automatically provisioned to an incorrect VLAN.

Where would the administrator look to determine when and why FortiNAC made the network access change?

- A. The Event view
- B. The Admin Auditing view
- C. The Port Changes view
- D. The Connections view

Answer: C
-----------

Explanation:

#### Question: 4

Which agent can receive and display messages from FortiNAC to the end user?

- A. Dissolvable
- B. Persistent
- C. Passive
- D. MDM

Answer: B

#### Explanation:

The persistent agent has the ability to display messages on the desktop of an endpoint. These messages can target an individual host, a group of hosts, or all hosts with the persistent agent installed. The messaging options include sending a message content with an optional web address link

#### Question: 5

When FortiNAC passes a firewall tag to FortiGate, what determines the value that is passed?

- A. Security rule
- B. Device profiling rule

C. RADIUS group attribute D. Logical network	
	Answer: B

Explanation:

## Thank You for trying NSE6\_FNC-7.2 PDF Demo

To Buy New NSE6\_FNC-7.2 Full Version Download visit link below

https://www.certkillers.net/Exam/NSE6\_FNC-7.2

# Start Your NSE6\_FNC-7.2 Preparation

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your NSE6\_FNC-7.2 preparation with actual exam questions.