

Fortinet

NSE8 Exam

Fortinet Network Security Expert 8 Written Exam (800)

Thank you for Downloading NSE8 exam PDF Demo

You can Buy Latest NSE8 Full Version Download

https://www.certkillers.net/Exam/NSE8

Version: 9.0

Question: 1

The dashboard widget indicates that FortiGuard Web Filtering is not reachable. However, AntiVirus, IPS, and Application Control have no problems as shown in the exhibit.

Lie	ense Information			and the second s		10
-	Support Contract	Registration	O Registere	d (choliki©id.megachem.co	:m)	Launch Porta
0	FortiGuard	IPS & Application Control AntiVirus Web Filtering De	 Licensed (Expires 2015-07-13) Licensed (Expires 2015-07-13) Unreachable 		Configure	
-	FortiCloud	Account				Activate
•	FortiClient	Registered / Allowed FortiClient Installers	E F	0 of 10	Octails et Mac	Enter License
-	FortiToken Mobile	Assigned / Allowed	E	0 4 2		a a a a
	102281125	the set water in the set				- Contractor

You contacted Fortinet's customer service and discovered that your FortiGuard Web Filtering contract is still valid for several months.

What are two reasons for this problem? (Choose two.)

- A. You have another security device in front of FortiGate blocking ports 8888 and 53.
- B. FortiGuard Web Filtering is not enabled in any firewall policy.
- C. You did not enable Web Filtering cache under Web Filtering and E-mail Filtering Options.
- D. You have a firewall policy blocking ports 8888 and 53.

Answer: B,D

Explanation:

If Web filtering shows unreachable then we have to verify, whether web filtering enabled in security policies or not.

Web filtering enabled in a policy but the port 8888 and 53 are not selected, means the policy blocking the ports.

Question: 2

A customer is authenticating users using a FortiGate and an external LDAP server. The LDAP user, John Smith, cannot authenticate. The administrator runs the debug command diagnose debug application fnbamd 255 while John Smith attempts the authentication:

Based on the output shown in the exhibit, what is causing the problem?

X

A Exhibit

fnbamd_ldap.c[232] start search dn-base: 'DC=TAC, DC=ottawa, DC=fortinet, DC =com' filter: sAMAccountName=jsmith fnbamd_ldap.c[1351] fnbamd_ldap_get_result-Going to SEARCH state fnbamd fsm.c[1833] poll ldap servers-Continue pending for req 6750217 fnbamd ldap.c[266] get all dn-Found DN 1:CN=John Smith, CN=Users, DC=TAC, DC=ottawa, DC=fortinet, DC=com fnbamd ldap.c[280] get all dn-Found 1 DN's fnbamd ldap.c[314] start next dn bind-Trying DN 1:CN=John Smith, CN=Users, DC=TAC, DC=ottawa, DC=fortinet, DC=com fnbamd ldap.c[1399] fnbamd ldap get result-Going to USERBIND state fnbamd ldap.c[1603] fnbamd ldap get result-Auth denied fnbamd auth.c[2074] fnbamd auth poll ldap-Result for ldap svr 10.10.181.10 is denied fnbamd comm.c[116] fnbamd comm send result-Sending result 1 for req 6750217 🗵 Close

A. The LDAP administrator password in the FortiGate configuration is incorrect.

B. The user, John Smith, does have an account in the LDAP server.

C. The user, John Smith, does not belong to any allowed user group.

D. The user, John Smith, is using an incorrect password.

Answer: A

Explanation: Fortigate not binded with LDAP server because of failed authentication.

Question: 3

Explicit Web Proxy Opt	ions	
Enable Explicit Web Proxy		FTP PAC
Enable IPv6 Explicit Proxy	0	
Listen on Interfaces	port1 🔔	
HTTP Port	8080	
HTTPS Port	0	(0 to use HTTP port)
FTP Port	0	(0 to use HTTP port)
PAC Port	0	(0 to use HTTP port)
PAC File Content	2	
Proxy FQDN	default.fqdn	
Max HTTP request length	4	КЬ
Max HTTP message length	32	КЬ

The exhibit shows an explicit Web proxy configuration in a FortiGate device. The FortiGate is installed between a client with the IP address 172.16.10.4 and a Web server using port 80 with the IP address 10.10.3.4. The client Web browser is properly sending HTTP traffic to the FortiGate Web proxy IP address 172.16.10.254.

Which two sniffer commands will capture this HTTP traffic? (Choose two.)

A. diagnose sniffer packet any 'host 172.16.10.4 and host 172.16.10.254' 3

B. diagnose sniffer packet any 'host 172.16.10.254 and host 10.10.3.4' 3

C. diagnose sniffer packet any 'host 172.16.10.4 and port 8080' 3

D. diagnose sniffer packet any 'host 172.16.10.4 and host 10.10.3.4' 3


Answer: C,D

Explanation:

Sniffer should run between webproxy to webserver And also Sniffer between client machine to web proxy connectivity as it is in explicit mode.

Question: 4

Your colleague has enabled virtual clustering to load balance traffic between the cluster units. You notice that all traffic is currently directed to a single FortiGate unit. Your colleague has applied the configuration shown in the exhibit.



Which step would you perform to load balance traffic within the virtual cluster?

A. Issue the diagnose sys ha reset-uptime command on the unit that is currently processing traffic to enable load balancing.

B. Add an additional virtual cluster high-availability link to enable cluster load balancing.

C. Input Virtual Cluster domain 1 and Virtual Cluster domain 2 device priorities for each cluster unit.

D. Use the set override enable command on both units to allow the secondary unit to load balance traffic.

Answer: C

Question: 5

A data center for example.com hosts several separate Web applications. Users authenticate with all of them by providing their Active Directory (AD) login credentials. You do not have access to Example, Inc.'s AD server. Your solution must do the following:

- provide single sign-on (SSO) for all protected Web applications

- prevent login brute forcing

- scan FTPS connections to the Web servers for exploits

- scan Webmail for OWASP Top 10 vulnerabilities such as session cookie hijacking, XSS, and SQL injection attacks

Which solution meets these requirements?

A. Apply FortiGate deep inspection to FTPS. It must forward FTPS, HTTP, and HTTPS to FortiWeb. Configure FortiWeb to query the AD server, and apply SSO for Web requests. FortiWeb must forward FTPS directly to the Web servers without inspection, but proxy HTTP/HTTPS and block Web attacks. B. Deploy FortiDDos to block brute force attacks. Configure FortiGate to forward only FTPS, HTTP, and

HTTPS to FortiWeb. Configure FortiWeb to query the AD server, and apply SSO for Web requests. Also configure it to scan FTPS and Web traffic, then forward allowed traffic to the Web servers.

C. Use FortiGate to authenticate and proxy HTTP/HTTPS; to verify credentials, FortiGate queries the AD server. Also configure FortiGate to scan FTPS before forwarding, and to mitigate SYN floods. Configure FortiWeb to block Web attacks.

D. Install FSSO Agent on servers. Configure FortiGate to inspect FTPS. FortiGate will forward FTPS, HTTP, and HTTPS to FortiWeb. FortiWeb must block Web attacks, then forward all traffic to the Web servers.

Answer: D

Explanation:

FSSO agent integrate fortigate with AD then inspect bruteforce, FTPS, HTTP, and HTTPS using fortiweb and then forward all traffic to web server.

Certifillers ner

Thank You for trying NSE8 PDF Demo

To Buy Latest NSE8 Full Version Download visit link below

https://www.certkillers.net/Exam/NSE8

Start Your NSE8 Preparation

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your NSE8 preparation with actual exam questions.