

IBM

P2020-079

IBM Initiate Master Data Service Support Mastery Test v1

QUESTION: 24

In which of the following places can you NOT find the detailed descriptions for the Initiate Java SDK methods and parameters?

- A. In the doc directory included with the Java SDK installation software.
- B. The Java SDK Reference Guide document that was included with your software.
- C. Infocenters
- D. By pressing F1 (Help) in the Initiate I.D.E. for Java.

Answer: D

QUESTION: 25

Which of the following is NOT something Initiate Customer Service can assist a customer with?

- A. Configuration on Initiate applications for deployment via Citrix or similar application delivery technology.
- B. Requests from customers for additional Initiate product training.
- C. Initiate product sales enquiries.
- D. Assistance with the customer's Initiate product performance testing and evaluation.

Answer: A

QUESTION: 26

You have checked the box in Workbench to enable the "Add a Record" module. What additional step do you need to do in Workbench before deploying your configuration so that users will successfully be able to add records via Inspector?

- A. Suspend the Hub.
- B. Run the relationship Linker job.
- C. Add a new Informational Source to hold the records.
- D. Add Source Sequence Identifiers for each source where you want users to add records.

Answer: D

QUESTION: 27

Which of the following could be a reason why the Master Data Engine (MDE)

fails to start?

- A. Inspector application is not running.
- B. Dictionary values are missing or corrupted.
- C. Engine log files have not been archived.
- D. There are no transactions waiting for processing.

Answer: B

QUESTION: 28

What is the correct order that applications should be exited / stopped?

- A. Database server, then Master Data Engine, then client apps.
- B. Client apps, then Master Data Engine, then Database server.
- C. Database server, then client apps, then Master Data Engine.
- D. Master Data Engine, then client apps, then Database server.

Answer: B

QUESTION: 29

What environmental variable indicates the location and name of the host level configuration file for the initiate message Brokers?

- A. \$MAD ROOTDIR
- B. \$MAD_HOMEDIR
- C. SMAD_CONFNAME
- D. MIConfigFileName

Answer: C

QUESTION: 30

Which of the following components establish a direct connection to the Initiate Database (i.e. not passing requests via API call to the Master Data Engine)?

- A. Message Reader
- B. Message Sender
- C. Web Reports
- D. Inspector

Answer: C

Download Full Version From https://www.certkillers.net

















