



# Palo Alto Networks

## PCNSE6 Exam

### Palo Alto Networks Certified Network Security Engineer 6

Thank you for Downloading PCNSE6 exam PDF Demo

You can Buy Latest PCNSE6 Full Version Download

<https://www.certkillers.net/Exam/PCNSE6>

<https://www.certkillers.net>

---

**Question: 1**

---

Which authentication method can provide role-based administrative access to firewalls running PAN-OS?

- A. LDAP
- B. Certificate-based authentication
- C. Kerberos
- D. RADIUS with Vendor Specific Attributes

---

**Answer: D**

---

---

**Question: 2**

---

HOTSPOT

Assuming that the default antivirus profile is installed, match each decoder with its default action. Answer options may be used more than once or not at all.

CertKillers.net

FTP, SMB

  
Alert  
Block

HTTP

  
Alert  
Block

POP3, SMTP

  
Alert  
Block

IMAP

  
Alert  
Block

---

**Answer:**

---

FTP, SMB

  
Alert  
Block

HTTP

  
Alert  
Block

POP3, SMTP

  
Alert  
Block

IMAP

  
Alert  
Block

FTP, SMB – Block HTTP – Block POP3, SMTP – Alert IMAP – Alert

---

**Question: 3**

Which three engines are built into the Single-Pass Parallel Processing Architecture? Choose 3 answers

- A. Application Identification (App-ID)
- B. Group Identification (Group-ID)
- C. User Identification (User-ID)
- D. Threat Identification (Threat-ID)
- E. Content Identification (Content-ID)

**Answer: A,C,E**

Explanation:


Reference:

[https://www.paloaltonetworks.com/content/dam/paloaltonetworkscom/en\\_US/assets/pdf/white-papers/single-pass-parallel-processing-architecture.pdf](https://www.paloaltonetworks.com/content/dam/paloaltonetworkscom/en_US/assets/pdf/white-papers/single-pass-parallel-processing-architecture.pdf) page 5

**Question: 4**

HOTSPOT

Within a Zone Protection Profile, under the Reconnaissance Protection tab, there are several possible values for Action:



Match each Reconnaissance Protection Action to its description. Answer options may be used more than once or not at all.

Block

Generates an alert for each scan that matches the threshold Drops all traffic for a specific period of time (in seconds) Drops all traffic from the source to the destination Permits the port scan attempts
---

Alert

Generates an alert for each scan that matches the threshold Drops all traffic for a specific period of time (in seconds) Drops all traffic from the source to the destination Permits the port scan attempts
---

Block IP

Generates an alert for each scan that matches the threshold Drops all traffic for a specific period of time (in seconds) Drops all traffic from the source to the destination Permits the port scan attempts
---

Allow

Generates an alert for each scan that matches the threshold Drops all traffic for a specific period of time (in seconds) Drops all traffic from the source to the destination Permits the port scan attempts
---

---

**Answer:**

---

Block	<input type="text"/> Generates an alert for each scan that matches the threshold Drops all traffic for a specific period of time (in seconds) Drops all traffic from the source to the destination Permits the port scan attempts
Alert	<input type="text"/> Generates an alert for each scan that matches the threshold Drops all traffic for a specific period of time (in seconds) Drops all traffic from the source to the destination Permits the port scan attempts
Block IP	<input type="text"/> Generates an alert for each scan that matches the threshold Drops all traffic for a specific period of time (in seconds) Drops all traffic from the source to the destination Permits the port scan attempts
Allow	<input type="text"/> Generates an alert for each scan that matches the threshold Drops all traffic for a specific period of time (in seconds) Drops all traffic from the source to the destination Permits the port scan attempts

Allow: Permits the port scan attempts. Alert: Generates an alert for each scan that matches the threshold within the specified time interval. Block: Drops all traffic from the source to the destination. Block IP: Drops all traffic for a specific period of time (in seconds). There are two options:

Source: Blocks traffic from the source

Source-and-Destination: Blocks traffic for the source-destination pair  
[https://live.paloaltonetworks.com/servlet/JiveServlet/previewBody/5078-102-514892/Understanding\\_DoS\\_Protection.pdf](https://live.paloaltonetworks.com/servlet/JiveServlet/previewBody/5078-102-514892/Understanding_DoS_Protection.pdf)

---

### Question: 5

What is a prerequisite for configuring a pair of Palo Alto Networks firewalls in an Active/Passive High Availability (HA) pair?

- A. The peer HA1 IP address must be the same on both firewalls.
- B. The management interfaces must be on the same network.
- C. The firewalls must have the same set of licenses.
- D. The HA interfaces must be directly connected to each other.

---

**Answer: C**

---

Explanation:

Reference:

[https://www.paloaltonetworks.com/content/dam/paloaltonetworkscom/en\\_US/assets/pdf/frame](https://www.paloaltonetworks.com/content/dam/paloaltonetworkscom/en_US/assets/pdf/frame)

[aker/60/pan-os/pan-os/section\\_4.pdf](#) page 134

CertKillers.net



## Thank You for trying PCNSE6 PDF Demo

To Buy Latest PCNSE6 Full Version Download visit link below

<https://www.certkillers.net/Exam/PCNSE6>

## Start Your PCNSE6 Preparation

**[Limited Time Offer]** Use Coupon “CKNET” for Further discount on your purchase. Test your PCNSE6 preparation with actual exam questions.

<https://www.certkillers.net>